ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not uired to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

instructions for completing this form can be found on the following pages	в.
---	----

SECTION A PROPERTY INFORMATION				FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME				POLICY NUMBER
EDWARD BRICKMAN STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. N				COMPANY NAIC NUMBER
1630 Harbor Sound		OUTE AND BOX NOMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.)	/			
LOTII, BAY ISLES, UNIT NO. CITY	. /		07175	
LONGOOAT KEY			STATE FLA.	ZIP CODE 34-228
SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	1 Paraton 1
rovide the following from the proper FIRM (See	Instructions):			5 2 00
1. COMMUNITY NUMBER 2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
1251260001 0010	B	25/18/922	A13	(in AO Zones, use depth)
Indicate the elevation datum system used on th	ne FIRM for Bas	se Flood Elevations (BFE): NGVD '29	Other (describe on back
For Zones A or V, where no BFE is provided or				or this building site, indicate
the community's BFE:	GVD (or other F	FIRM datum-see Section	B, Item 7).	
SECTIC	NC BUILDIN	IG ELEVATION INFORM	ATION	
 the selected diagram, is at an elevation of c). FIRM Zone A (without BFE). The floor used below (check one) the highest grade adj d). FIRM Zone AO. The floor used as the reference one) the highest grade adjacent to the building level) elevated in accordance with the communicate the elevation datum system used in definition under Comments on Page 2). (NOTE: If the entry the FIRM [see Section B, Item 7], then convert equation under Comments on Page 2.) 	as the reference acent to the bu- ence level from ng. If no flood of unity's floodplat termining the a levation datum	the selected diagram is depth number is available in management ordinance bove reference level elev- used in measuring the elev-	I diagram is e, is the building e? Yes vations: NGV	. feet above or oove or below (check s lowest floor (reference No Unknown /D '29 Other (describe
equation under comments on Page 2.)		/		
Elevation reference mark used appears on FIRI	w. L Yes A			
The reference level elevation is based on: (NOTE: Use of construction drawings is only va case this certificate will only be valid for the build will be required once construction is complete.)	alid if the buildir	na does not vet have the	reference loval	floor in place, in which ion Elevation Certificate
The elevation of the lowest grade immediately a Section B, Item 7).	adjacent to the b	building is:	⊉ feet NGVD (or other FIRM datum-see
SEC	CTION D CON		N	
If the community official responsible for verifying not the "lowest floor" as defined in the commu	u building elevat	tions specifies that the re	ference level inc	dicated in Section C, Item 1

floor" as defined by the ordinance is: ______ feet NGVD (or other FIRM datum-see Section B, Item 7).


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

THOMAS E. ROBINSON	#4075				
CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)				
PRES. TOWNER	ROBINSON LAND SURVEYING NC.				
TITLE		The second se			
1960 ARIN CI.	CARASOTA	tz4. 34236			
ADDRESS	CITY / /	STATE ZIP 941-954-41273			
	11/24/97	941-954-4473			
SIGNATURE	DATE	PHONE			
	· · · ·				
Copies should be made of this Certificate f	for: 1) community official, 2) insurance agent/co	npany, and 3) building owner.			
COMMENTS:					
COMMENTS:					
		<u> </u>			



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.