ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to rovide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PRO	PERTY INFO	RMATION	A STATE OF THE STA	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME Jordan and Stacey		Surren.	taque un tagentes es es es	DE G	POLICY NUMBER
STREET ADDRESS (Including Ap 3231 Bayou Sound	t., Unit, Suite and/or Bldg. N	lumber) OR P.O. R	OUTE AND BOX NUMBER	UU OCT	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and E					
Lot 14, Block "A",	Bay Isles Uni	t #2		BUILDING	DEPARTMENT ZIP CODE ONGBOAT KEY 34228
спү Longboat Key				FL	UNGBOAT KEY 34228
Boligboat Rey	SECTION B FL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATIO	N
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125126	0010	В	May 18, 1992	A13	11
For Zones A or V, where	no BFE is provided o	n the FIRM, ar	ase Flood Elevations (BFE and the community has estable FIRM datum—see Section	בו ום משוופוועג	Other (describe on back) for this building site, indicate
	SECTION	ON C BUILDI	ING ELEVATION INFORM	MATION	The the text of th
the selected diagram, (c). FIRM Zone A (withou below (check one) (d). FIRM Zone AO. The one) the highest grad level) elevated in account and account of the FIRM [see Section equation under Comments on Pathe III [see Section equation under Comments on Pathe II [see Section	is at an elevation of Lt BFE). The floor use of the highest grade at floor used as the reference adjacent to the build ordance with the compatum system used in the system of the system	d as the reference level from the ding. If no flood munity's flood pletermining the elevation daturent the elevation	deet NGVD (or other FIF ence level from the selecter building. In the selected diagram is depth number is available blain management ordinance above reference level elem used in measuring the long to the datum system uses to the datum system uses the service of the service level element of the datum system uses the service level element of the datum system uses the service level element of the datum system uses the service level element of the se	am datum—seed diagram is left. If feed the feed on the FIF	t above or below (checking's lowest floor (reference) No Unknown GVD '29 Other (describe)
4. Elevation reference man	k used appears on FI	RM: X Yes	No (See Instructions of	on Page 4)	
5. The reference level elevance (NOTE: Use of construction case this certificate will will be required once construction).	vation is based on: X ction drawings is only only be valid for the boastruction is complete	actual construence valid if the building during to a construction of the construction	ruction construction of ilding does not yet have the course of construction.	lrawings le reference le A post-constr	ruction Elevation Certificate
6. The elevation of the low Section B, Item 7).	vest grade immediatel	y adjacent to th	he building is: 14		/D (or other FIRM datum-see
	S	ECTION D C	COMMUNITY INFORMATI	ON	P. IS. DEM TUSSE
is not the "lowest floor"	as defined in the com ordinance is:	munity's floodp	olain management ordinar NGVD (or other FIRM da	nce, the elevati tum–see Secti	el indicated in Section C, Item 1 ion of the building's "lowest on B, Item 7).

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.


Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Dennis R. Hoover	#4419			40.7 1 170.45	
CERTIFIER'S NAME	LICENSE NUMBER (or Affix		5016 T. F		
Registered Land Surveyor	Bishop & Associates			• 7	
TITLE	COMPANY NAME				
78 Sarasota Center Bouleyard	Sarasota		FL	34240	
ADDRESS	CITY		STATE	ZIP	
X /_ // // //	Det. 17 1995	(941)	371-63	62	
SIGNATURE	DATE	PHONE	12571 5	246	

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: Garage Floor Elevation = 5.77'



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.