ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). **Instructions for completing this form can be found on the following pages.**

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	POLICY NUMBER
"" Chartes Dieciaux	7
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER 19 1997	COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Block Numbers, etc.) Sabal Cove BUILDING DEPARTMENT	
CITY Somboat Key I WIN OF LONGBOASTATE	ZIP CODE 34228
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMAT	ION
Provide the following from the proper FIRM (See Instructions):	
1. COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM ZO	NE 6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125126 0010 B 5-1892 A-13	EL.11.
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD	0 '29 Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a Bi the community's BFE:	-E for this building site, indicate
SECTION C BUILDING ELEVATION INFORMATION	V1_1003(
Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found	
of	ee Section B, Item 7). If feet above or or or below (check ding's lowest floor (reference) No Unknown NGVD '29 Other (describe different than that used on
5. The reference level elevation is based on: A actual construction construction drawings (NOTE: Use of construction drawings is only valid if the building does not yet have the reference leavage this certificate will only be valid for the building during the course of construction. A post-cons will be required once construction is complete.)	
6. The elevation of the lowest grade immediately adjacent to the building is: 17.4 feet NG Section B, Item 7).	VD (or other FIRM datum-see
SECTION D COMMUNITY INFORMATION	11
If the community official responsible for verifying building elevations specifies that the reference levis not the "lowest floor" as defined in the community's floodplain management ordinance, the elevations as defined by the ordinance is:	tion of the building's "lowest"


SECTION E CERTIFICATION

his certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones'AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feâture(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)		
THOMAS TEONSORINSON	FL.# 4075		
TITLE	COMPANY NAME		
Paus 19 Church	DOBUSON LAND SORVEYING IN	<u></u>	
ADDRESS	CITY	STATE	ZIP
1740 1210 351	SARASOTA FZ	941. 954	4473
SIGNATURE	DATE 5-16/96 PHC		, , , ,
Copies should be made of this Certific	ate for: 1) community official, 2) insurance agent/company,	and 3) building of	wner, abut
U STORY STORY			2.5 2.4
COMMENTS:			
A. A			
			the second of



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.