U.M.B. NO 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICA E

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION	FOR INSURANCE COMPANY USE		
BUILDING OWNER'S NAME Richard C. & Barbara A. Johann	POLICY NUMBER		
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER	COMPANY NAIC NUMBER		
OTHER DESCRIPTION (Lot and Block Numbers, etc.)	Subdivision		
CITY 1 L L L L L L L L L L L L L L L L L L			
SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION			
Provide the following from the proper FIRM (See Instructions):			
COMMUNITY NUMBER 2. PANEL NUMBER 3. SUFFIX 4. DATE OF FIRM INDEX 5. FIRM	ZONE 6. BASE FLOOD ELEVATION (in AO Zones, use depth)		
125126 0005 D 5-18-92 A-	13 12.0		
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NG 8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7)	Di L for trio conding one,		
SECTION C BUILDING ELEVATION INFORMATION	6.4		
describes the subject building's reference level 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the of	rember of the reference level from see Section B, Item 7). It is feet above or feet above or below (check building's lowest floor (reference fees No Unknown NGVD '29 Other (describe is different than that used on the FIRM and show the conversion or level floor in place, in which or level floor in place.		
SECTION D COMMUNITY INFORMATION	We are a second and a second an		
1. If the community official responsible for verifying building elevations specifies that the reference is not the "lowest floor" as defined in the community's floodplain management ordinance, the efloor" as defined by the ordinance is: 2. Date of the start of construction or substantial improvement	.0		


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the ertification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an wner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features–If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	LICENSE NUMBER (or Affix Seal)	
John B. Beuson III	20638	
TITLE	COMPANY NAME	
Engineer	Beuson Engineerin	5 The
ADDRESS 5023 STL ST. F	CITY	STATE ZIP
5023 1515 St. E	Bradenton	F/ 34203
SIGNATURA (1)	11/18/94	PHONE (813) 792-6161
Copies should be made of this Certificate for: 1) of	community official, 2) insurance agent/comp	any, and 3) building owner.
COMMENTS:		
COMMENTS:		
COMMENTS:		



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.