## **ELEVATION CERTIFICATE**

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

TENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to ovide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

	SECTION A PR	OPERTY INFO	RMATION		FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	& Assoc		7 U V		POLICY NUMBER
STREET ADDRESS (Including Ap			ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and Lots 50 & 51 Corey					
CITY	3 Lanaring	2		STATE	ZIP CODE
	SECTION B FI	LOOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION	*
Provide the following from t	he proper FIRM (See	Instructions):			
1. COMMUNITY NUMBER 125126	2. PANEL NUMBER 0010	3. SUFFIX	4. DATE OF FIRM INDEX August 15, 1983	5. FIRM ZONE A-13	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
7. Indicate the elevation dat 8. For Zones A or V, where the community's BFE:	no BFE is provided o	n the FIRM, ar		ablished a BFE fo	Other (describe on back) or this building site, indicate
	SECTION	ON C BUILDI	NG ELEVATION INFORM	IATION	white of the
(c). FIRM Zone A (without below (check one)  (d). FIRM Zone AO. The form one) the highest grade level) elevated in accomments on Page the FIRM [see Section in equation under Comments.]	BFE). The floor used the highest grade action used as the reference adjacent to the build broadce with the community system used in dige 2). (NOTE: If the object of the page 2).	d as the referent diacent to the barence level from ing. If no flood nunity's floodpletermining the elevation daturent the elevation	nuilding.  In the selected diagram is depth number is available ain management ordinance above reference level elemns to the datum system us	d diagram is didiagram is deet at e, is the building ee? Yes vations: X NGV elevations is different feed on the FIRM	or feet above or
4. Elevation reference mark			_	100	REPONEN
	tion drawings is only nly be valid for the bu	valid if the build ilding during th	action	reference level	
6. The elevation of the lower Section B, Item 7).	est grade immediately	adjacent to the	e building is: 111	. 1 feet NGVD	or other FIRM datum-see
	SE	ECTION D CO	MMUNITY INFORMATIO	N	611181
	s defined in the commordinance is:	nunity's floodpl	vations specifies that the rain management ordinand NGVD (or other FIRM datu	e, the elevation	

## SECTION E CERTIFICATION


This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Dennis R. Hoover	LICENSE NUMBER (or Affix Seal) 4419		
Registered Land Surveyor	COMPANY NAME Bishop & Associates		
ADDRESS 78 Sarasota Center Boulevard	city Sarasota	STATE ZIP Florida 34240	
SIGNATURE Symin Manny	7/2/9/ DATE	PHONE (813) 371-6362	





The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.