ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077 Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to proelevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form. Instructions for completing this form can be found on the following pages.

	OLOHOHA TH	OPERTY INFO	DRMATION	Discourse of the second	FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME	Fun	ellan bertan sa Sanga sa ka ka	in in ageinego Phys. 1965. 66 Jack Chemistratica II	na antonen per	POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					COMPANY NAIC NUMBER
LOT 5, BLOCK		an Cur	B SHOZES, Un	·+ # 2	
CITY	G, Count	KY CLU	B SHOLLD, UN	STATE	ZIP CODE
LONGBOAT	KEY			FL	34228
	SECTION B FL	LOOD INSURA	ANCE RATE MAP (FIRM)	INFORMATION	
rovide the following from th	e proper FIRM (See	Instructions):		2.48-1.4	
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)
125126	0010	B	MAY 18,1992	A 13	11
	and an extension of the participant				Other (describe on back
	SECTIO	ON C BUILD	ING ELEVATION INFORM	ATION	
	The second second second second			r from the selec	ted diagram is at an elevation
of [1] [1] [2] feet (b). FIRM Zones V1-V30, V the selected diagram, is (c). FIRM Zone A (without below [] (check one)	NGVD (or other FIF /E, and V (with BFE) s at an elevation of L BFE). The floor used the highest grade ad	AM datum-see The bottom d as the refere djacent to the b	Section B, Item 7). of the lowest horizontal str feet NGVD (or other FIR nce level from the selected building.	uctural member M datum-see S d diagram is	of the reference level from ection B, Item 7).
of [1] [1] [2] feet (b). FIRM Zones V1-V30, V the selected diagram, is (c). FIRM Zone A (without below [] (check one) (d). FIRM Zone AO. The fil one) the highest grade	t NGVD (or other FIF /E, and V (with BFE) s at an elevation of L BFE). The floor used the highest grade ac oor used as the refer adjacent to the build	RM datum—see . The bottom () d as the refere d as the refere djacent to the b rence level from ling. If no flood	Section B, Item 7). of the lowest horizontal str feet NGVD (or other FIR nce level from the selected building.	uctural member M datum-see S d diagram is d d diagram is d d diagram is d d d d d d d d d d d d d d d d d d d	of the reference level from ection B, Item 7).
of [11]].[2] feet (b). FIRM Zones V1-V30, V the selected diagram, is (c). FIRM Zone A (without) below (check one) (d). FIRM Zone AO. The fl one) the highest grade level) elevated in accor 8. Indicate the elevation data under Comments on Page the FIRM [see Section E equation under Comment	t NGVD (or other FIF /E, and V (with BFE) s at an elevation of L BFE). The floor used the highest grade ac oor used as the refer adjacent to the build rdance with the commun system used in d e 2). (NOTE: If the B, Item 7], then conver- ts on Page 2.)	AM datum-see The bottom d as the refere djacent to the b rence level from ling. If no flood munity's floodp letermining the elevation datue ent the elevation	Section B, Item 7). of the lowest horizontal str feet NGVD (or other FIR ince level from the selected building. In the selected diagram is d depth number is available lain management ordinance above reference level ele in used in measuring the elements to the datum system us	uctural member M datum-see S d diagram is d diagram is d diagram is feet a e, is the building ce? Yes vations: X NG levations is diffe sed on the FIRM	of the reference level from ection B, Item 7).
of <u>1111</u> .24 feet (b). FIRM Zones V1-V30, V the selected diagram, is (c). FIRM Zone A (without b below (check one) (d). FIRM Zone AO. The fi one) the highest grade level) elevated in accor 8. Indicate the elevation data under Comments on Page the FIRM [see Section E equation under Comment 8. Elevation reference mark	t NGVD (or other FIF /E, and V (with BFE) s at an elevation of L BFE). The floor used the highest grade ac oor used as the refer adjacent to the build dance with the comm um system used in d e 2). (NOTE: If the b, Item 7], then conver- ts on Page 2.) used appears on FIF	AM datum-see The bottom of the bottom of d as the refere djacent to the b rence level from ling. If no flood munity's floodp letermining the elevation datum ent the elevation RM: X Yes [Section B, Item 7). of the lowest horizontal str feet NGVD (or other FIR nce level from the selected building. m the selected diagram is d depth number is available lain management ordinance above reference level ele m used in measuring the elems to the datum system us No (See Instructions of	uctural member M datum-see S d diagram is d diagram is feet a e, is the building ce? Yes vations: X NG levations is diffe sed on the FIRM n Page 4)	of the reference level from ection B, Item 7).
of [11]1.24 feet (b). FIRM Zones V1-V30, V the selected diagram, is (c). FIRM Zone A (without 1 below (check one) (d). FIRM Zone AO. The fil one) the highest grade level) elevated in accor 8. Indicate the elevation data under Comments on Page the FIRM [see Section E equation under Comment 6. Elevation reference mark 5. The reference level eleva	t NGVD (or other FIF /E, and V (with BFE) s at an elevation of L BFE). The floor used the highest grade ac oor used as the refer adjacent to the build rdance with the commun system used in d e 2). (NOTE: If the B, Item 7], then conver- ts on Page 2.) used appears on FII tion is based on: ion drawings is only by be valid for the build	RM datum-see The bottom d as the refere d as the refer	Section B, Item 7). of the lowest horizontal str if eet NGVD (or other FIR ince level from the selected building. In the selected diagram is d depth number is available lain management ordinance above reference level ele in used in measuring the ele ons to the datum system us No (See Instructions of uction Construction dr Iding does not yet have the	uctural member M datum-see S d diagram is e, is the building ce?Yes vations: X NG levations is difference in Page 4) awings preference leve	of the reference level from ection B, Item 7).
of [11]].[2] feet (b). FIRM Zones V1-V30, V the selected diagram, is (c). FIRM Zone A (without) below [] (check one) (d). FIRM Zone AO. The fil one) the highest grade level) elevated in accor 3. Indicate the elevation data under Comments on Page the FIRM [see Section E equation under Comment 4. Elevation reference mark 5. The reference level eleva (NOTE: Use of construct case this certificate will on	t NGVD (or other FIF /E, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade at oor used as the refer adjacent to the build dance with the commun um system used in d e 2). (NOTE: If the B, Item 7], then conver- ts on Page 2.) used appears on FII tion is based on: ion drawings is only by be valid for the build for the buil	RM datum-see The bottom () The bottom () The bottom (d as the refere djacent to the b rence level from ing. If no flood munity's floodp letermining the elevation datum ent the elevation RM: X Yes [actual constru- valid if the build ilding during the)	Section B, Item 7). of the lowest horizontal str feet NGVD (or other FIR ince level from the selected building. In the selected diagram is d depth number is available lain management ordinance above reference level ele m used in measuring the ele ons to the datum system us No (See Instructions of luction C construction dr ding does not yet have the he course of construction.	uctural member M datum-see S d diagram is d diagram is feet a e, is the building e, is the building vations: X NG vations: X NG vations is diffused on the FIRM in Page 4) rawings or reference leve A post-construct	of the reference level from ection B, Item 7).
of [11]] [2] feet (b). FIRM Zones V1-V30, V the selected diagram, is (c). FIRM Zone A (without) below [] (check one) (d). FIRM Zone AO. The fi one) the highest grade level) elevated in accor 3. Indicate the elevation data under Comments on Page the FIRM [see Section E equation under Comment 4. Elevation reference mark 5. The reference level eleva (NOTE: Use of construct case this certificate will on will be required once cons 5. The elevation of the lower	t NGVD (or other FIF /E, and V (with BFE) is at an elevation of L BFE). The floor used the highest grade ac oor used as the refer adjacent to the build rdance with the commun system used in d e 2). (NOTE: If the B, Item 7], then conver- ts on Page 2.) used appears on FIR tion is based on: is ondrawings is only by be valid for the build truction is complete.	RM datum-see The bottom of the bottom of d as the refere djacent to the b rence level from ling. If no flood munity's floodp letermining the elevation datument the elevation RM: X Yes [actual constru- valid if the build iniding during the part of the build adjacent to the	Section B, Item 7). of the lowest horizontal str feet NGVD (or other FIR ince level from the selected building. In the selected diagram is d depth number is available lain management ordinance above reference level ele m used in measuring the ele ons to the datum system us No (See Instructions of luction C construction dr ding does not yet have the he course of construction.	uctural member M datum-see S d diagram is d diagram is 	of the reference level from ection B, Item 7).

2. Date of the start of construction or substantial improvement 1196

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

2... 5506 F. Peter LUTZ, JR. LICENSE NUMBER (or Affix Seal) CERTIFIER'S NAME COMPANY NAME TITLE 350C . BISHOP LAND SURVEYOR PROFESSIONAL STATE 7IP CITY ADDRESS av Blud Sarasot - FL. 34240 Sarasota 78 PHONE DATE SIGNATURE 1941) 18 Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. This Elevation Cartificate is For An ition COMMENTS: The EXISTING RESIDENCE Onl Wer. and the second

abbonde

ON PILES. WITH ON PIERS, OR COLUMNS BASEMENT SLAE v A A TONES TONES ZONES ZONES REFERENCE LEVE LEVEL FLOOD LEVEL FIEVATION ELEVATION LEVEL ELEVATION LEVEL ADJACEN GRADE

The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.