O.M.B. No 3067-0077 Expires May 31, 1993

ECEIVE

IN 23 19

ELEVATION CERTIFICATE FEDERAL EMERGENCY MANAGEMENT AGENCY

NATIONAL FLOOD INSURANCE PROGRAM

TENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to vide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). Instructions for completing this form can be found on the following pages.

				ite tenening pu	ges.	
	19 al 19	FOR INSURANCE COMPANY USE				
BUILDING OWNER'S NAME Martel T	17 - orman M	POLICY NUMBER				
STREET ADDRESS (Including A 573 Spinnaker	COMPANY NAIC NUMBER					
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)					
Lot 2, Block	H, Country	Club Sh	ores, Unit 3,	Section 2		
Sarasota Longboat Key Flor					da ZIP CODE	
	SECTION B FI	LOOD INSURA	NCE RATE MAP (FIRM)			
Provide the following from t						
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION	
125126	0010	В	05/18/92	A13	(in AO Zones, use depth)	
 Indicate the elevation dat For Zones A or V, where the community's BFE: 	no bre is provided o	n the FIRM, an	of the community has esta	ablished a REE fo	Other (describe on back) or this building site, indicate	
	SECTIO	ON C BUILDI	NG ELEVATION INFORM	IATION		
(b). FIRM Zones V1-V30, V	t NGVD (or other FIR /E, and V (with BFE). s at an elevation of ∟ BFE). The floor used	M datum-see : The bottom o	Section B, Item 7). f the lowest horizontal stru- feet NGVD (or other FIR ice level from the selected	uctural member o M datum-see Se	ection B. Item 7)	
one) the highest grade	adjacent to the buildi	ng. If no flood	depth number is available	e, is the building'	oove or below (check s lowest floor (reference	
level) elevated in accor	dance with the comm	unity's floodpla	ain management ordinanc	e? 🗌 Yes 🗌	No 🗌 Unknown	
Indicate the elevation data under Comments on Page the FIRM [see Section B equation under Comment	e 2). (NOTE: If the e , Item 7], then conver	levation datum	used in measuring the el	levations is diffor	ant than that used as	
Elevation reference mark		M: 🗌 Yes 🕱	No (See Instructions on	Page 4)		
The reference level elevat (NOTE: Use of constructi case this certificate will on will be required once const	tion is based on: 🛛 ion drawings is only v ly be valid for the buil	actual construc alid if the build	ction construction dra	awings	floor in place, in which ion Elevation Certificate	
The elevation of the lowes Section B, Item 7).	t grade immediately a	adjacent to the	building is:	1 feet NGVD (or other FIRM datum-see	
	SE	CTION D CO	MMUNITY INFORMATIO	N		

ne community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest

floor" as defined by the ordinance is: 1 feet NGVD (or other FIRM datum-see Section B, Item 7). 2. Date of the start of construction or substantial improvement 4 - 30 - 98

SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

ERTIFIER'S NAME							
ALEX S. ESBER	4349						
TLE PROFESSIONAL LAND CHART	COMPANY NAME						
PROFESSIONAL LAND SURVEYO	R ESI	BER & ASS	OCIATES				
5914 PALMER BLVD.	CITY		STATE	ZIP			
GNATURE //	SARASOTA		FL	34232			
(lly plan		06/11/9) 379_8831			
oples should be made of this Certificate for: 1)	community official,	2) insurance ag	gent/company, and 3) bui	lding owner.			
DMMENTS:							
S S S C R. 7							
22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2							
	4						
Bran sta							
				,			
SLAB	WITH BASEMENT		ON PILES, PIERS, OR COLUMNS	4			
A V ZONES ZONES	ZONES		ZONES ZONES	4			
REFERENCE	500		EFERENCE				
LEVEL		BASE FLOOD ELEVATION		REFERENCE			
	muy funn	utur	me	Juni			
BASE FLOOD							
ELEVATION REFERENCE ADJACENT	GRADE REF	ERENCE EVEL		BASE FLOOD ELEVATION			
LEVEL GRADE				ELEVATION			
			ANI Y	W			
			LY L				
			ana atti tan 2000 (0000) (0100)	(III) (Constraint)			
The diagrams above illustrate the points at whice	h the elevations should	the measured!	- 4.7				
Flevations for all A Zanag about the man		a de measured I	IT A Zones and V Zones.				

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.