## ELEVATION CERTIFICATE

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE			
BUILDING OWNER'S NAME	POLICY NUMBER							
STREET ADDRESS (Including A)	ot., Unit, Suite and/or Bldg. I		ROUTE AND BOX NUMBER		COMPANY NAIC NUMBER			
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)	Block	1 Rev. Pla	f Long	had Share -			
CITY Long 6	ogt Ken	1		STATE	ZIP CODE			
	SECTION B PL	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION				
Provide the following from t	he proper FIRM (See	Instructions):						
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION (in AO Zones, use depth)			
125/26	0010	B		4-13	+11.0			
7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): VNGVD '29 Other (describe on back) 3. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).								
	SECTIO	NC BUILDI	NG ELEVATION INFORM	IATION				
of	et NGVD (or other FIR VE, and V (with BFE). Is at an elevation of BFE). The floor used the highest grade adjloor used as the refere adjacent to the building dance with the commum system used in dee 2). (NOTE: If the ear, Item 7], then converts on Page 2.) used appears on FIR tion is based on:	M datum—see The bottom of the bottom of the server from the se	Section B, Item 7).  If the lowest horizontal strate of the selected diagram is depth number is available ain management ordinance above reference level element of the datum system us to the datum system us to the constructions or the lowest horizontal construction of the lowest horizontal construction drate of the lowest horizontal strategies.	uctural member M datum—see Se d diagram is  feet al e, is the building' e? Yes vations: NGV levations is differed on the FIRM  Page 4) awings reference level is	ection B, Item 7).  I feet above or  ove or below (check s lowest floor (reference No Unknown // D'29 Other (describe rent than that used on and show the conversion			
case this certificate will on will be required once cons  The elevation of the lowes	ly be valid for the build truction is complete.)	ding during the	e course of construction	A post-constructi	on Elevation Certificate or other FIRM datum-see			
Section B, Item 7).			+					
			MMUNITY INFORMATIO					
<ol> <li>If the community official re is not the "lowest floor" as floor" as defined by the or</li> <li>Date of the start of constru</li> </ol>	defined in the commu dinance is:	unity's floodpla	ations specifies that the re in management ordinance GVD (or other FIRM datur	e, the elevation of	of the building's "lowest			


## SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME	//	,	LICENSE NUMB	ER (or Affix Seal)		
Ca	Win J	Reed	4.5.	2915		
TITLE	LS.	/ / /	ECO Cand	Survey	ing	
ADDRESS P.	Of BA	Sk 373%	ITY	grasda	STATE F7. 3423	ZIP O
SIGNATURE		• //	4-7-91	PHOI	NE 35/-23/7	
Copies should be n	nade of this Cert	tificate for: 1) commur	nity official, 2) insurance	e agent/company, a	and 3) building owner	r.
COMMENTS:						
COMMENTS:						= <
COMMENTS:						
COMMENTS:						
COMMENTS:						



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.