O.M.B. No 3067-0077 Expires May 31, 1993

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

| | OFFICE AND ADDRESS OF THE PROPERTY OF THE PROP | FOR INSURANCE COMPANY USE | | | | |
|---|--|---|--|---|---|--|
| BUILDING OWNER'S NAME HUNT BUILDING COR | | POLICY NUMBER | | | | |
| STREET ADDRESS (Including Ap | 1 % 177 2 % | COMPANY NAIC NUMBER | | | | |
| OTHER DESCRIPTION (Lot and E BUILDING 35, CEDA | Block Numbers, etc.) | ON III | | | | |
| CITY LONGBOAT KEY | STATE FL | ZIP CODE | | | | |
| | SECTION B FL | OOD INSURA | ANCE RATE MAP (FIRM) | INFORMATION | milkle Server | |
| Provide the following from the proper FIRM (See Instructions): | | | | | \$ 40 kg = 2 4 | |
| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | ONE 6. BASE FLOOD ELEVATION (in AO Zones, use depth) | |
| !@%!@¢ | 0005 | С | 10/01/83 | A 13 | 10.35 | |
| | no BFE is provided o | n the FIRM, ar | ase Flood Elevations (BF) and the community has est FIRM datum-see Section | ablished a BFE f | Other (describe on back) or this building site, indicate | |
| | SECTION | ON C BUILDI | NG ELEVATION INFORM | MATION | | |
| (c). FIRM Zone A (without below (check one) (d). FIRM Zone AO. The fone) the highest grade level) elevated in accost. Indicate the elevation dat under Comments on Pagethe FIRM [see Section In equation under Comments] | the highest grade action used as the reference adjacent to the build rdance with the commun system used in die 2). (NOTE: If the establishment of the page 2). | d as the referent diacent to the base of the level from ting. If no flood nunity's floodpletermining the elevation daturent the elevation | building. In the selected diagram is didepth number is available and management ordinant above reference level element of the datum system uses to the datum system uses. | d diagram is diagram is diagram is die, is the building ce? Yes vations: NG elevations is different on the FIRM | bove or below (check 's lowest floor (reference No Unknown Unvolve (describe) | |
| Elevation reference mark The reference level eleval (NOTE: Use of construction case this certificate will or will be required once construction. | ation is based on: X tion drawings is only only be valid for the but | actual constru valid if the build ilding during th | uction construction d | rawings e reference level | floor in place, in which tion Elevation Certificate | |
| 5. The elevation of the lowe Section B, Item 7). | st grade immediately | adjacent to the | e building is: 6 | . 5 feet NGVD | (or other FIRM datum-see | |
| 191 | SE | CTION D CO | OMMUNITY INFORMATIO | ON | | |
| If the community official r is not the "lowest floor" a floor" as defined by the o Date of the start of constr | s defined in the comm rdinance is: | nunity's floodpl | ain management ordinand NGVD (or other FIRM datu | ce, the elevation | | |


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

| CERTIFIER'S NAME | LICENSE NUMBER (or Affix Seal) | | | | |
|---|--------------------------------|-------------------|--|-----------------|--|
| JAMES N. GATCH JR. | 4295 | | | • | |
| TITLE 9384 """ | COMPANY NAME | | State of the state | | |
| ASSISTANT DIRECTOR OF SURVEYING | ZOLLER, NAJJA | AR & SHROYER, | INC | | |
| ADDRESS CO CO | CITY | | STATE | ZIP | |
| P.O. BOX 9448 | BRADENTON | | FL | 34206 | |
| SIGNATURE NO Gratel 2 | | DATE 2/22/91 | PHONE 813-748-8080 | Man Aprilo I | |
| Copies should be made of this Certificate for: 1) | community official, 2) in | surance agent/cor | mpany, and 3) buildi | ng owner | |
| | | | mparry, and of bandi | ng owner. | |
| 108 | | 1.5 | a Electrical States | 6 8 00mg5 - 4 . | |
| COMMENTS: | | | | | |



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.