JUS. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

OMB No. 1660-0008

National Piood Insurance Prog	ram	Important: R	ead the ir	structions on	pages 1–9.	Expiration Date: July 31, 2015			
		SEC	TION A - F	ROPERTY INFO	RMATION	FOR INSURANCE COMPANY USE			
A1. Building Owner's Nam	Policy Number:								
A2. Building Street Address 3404 WINDING OAKS DR	Company NAIC Number:								
City LONGBOAT KEY			Stat	e FL ZIP Coo	le 34228				
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) UNIT 55 WINDING OAKS CONDOMINIUM									
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL A5. Latitude/Longitude: Lat. 27 22 38.46 N Long. 82 37 25.15 W Hortzontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 1B A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage: a) Square footage of crawlspace or enclosure(s) sq ft b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade within 1.0 foot above adjacent grade or enclosure(s) within 1.0 foot above adjacent grade or enclosure(s) within 1.0 foot above adjacent grade or enclosure(s) Number of permanent flood openings in A8.b or enclosure(s) Number of permanent flood openings in A8.b or enclosure(s) Number of permanent flood openings in A9.b or enclosure(s) Number of permanent flood openings in A9.b or enclosure(s) Number of permanent flood openings in A9.b or enclosure(s) Number of permanent flood openings in A9.b or enclosure(s) Number of permanent flood openings in A9.b or enclosure(s) Number of permanent flood openings in A9.b or enclosure(s) Number of permanent flood openings in A9.b or enclosure(s) Number of permanent flood openings in A9.b or enclosure(s) Number of permanent flood openings in A9.b or enclosure(s) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade or enclosure(s) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade or enclosure(s) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade or enclosure(s) Number of permanent flood openings in the attached garage or enclosure(s) Number of permanent flood openings in the attached garage or enclosure(s) Number of permanent flood openings in the attached garage or enclosure(s) Number of permanent flood openings in the attached garage or enclosure(s) Number of									
	SEC.	ΠΟΝ B – FLOOD	INSURAN	CE RATE MAP (F	FIRM) INFORMATIO	ON			
B1. NFIP Community Name LONGBOAT KEY	& Community N	lumber	B2. County MANATEE	Name & SARASOTA		B3. State FL			
B4. Map/Panel Number 1251260010	B5. Suffix B	B6. FIRM Index I 5/18/1992		B7. FIRM Panel ective/Revised Date 8/15/1983	B8. Flood Zone(s) A 13	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)			
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in item B9. FIS Profile FIRM Community Determined Other/Source: Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source: Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date:									
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)									
21. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction A new Elevation Certificate will be required when construction of the building is complete. Complete Items C2.a—h Building Under Construction Finished Construction A new Elevation Certificate will be required when construction of the building is complete. Complete Items C2.a—h Below according to the building diagram specified in Item A7. in Puerto Rico only, enter meters. Benchmark Utilized: GPS READINGS (1000) Vertical Datum: NGVD 1929 VERTCON Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other/Source: Datum used for building elevations must be the same as that used for the BFE.									
Chec						k the measurement used.			
 a) Top of bottom floor (in b) Top of the next higher 		nt, crawispace, or e	nciosure floo	(a)	1.0	☐ feet ☐ meters ☐ meters			
c) Bottom of the lowest i	1.A 1.A	☐ feet ☐ meters ☐ meters							
d) Attached garage (top	☑ feet ☐ meters								
e) Lowest elevation of machinery or equipment servicing the building 11.0									
 f) Lowest adjacent (finis g) Highest adjacent (finis 	⊠ feet ☐ meters								
h) Lowest adjacent grade	☐ feet ☐ meters ☐ meters								
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION									
This certification is to be signiformation. I certify that the I understand that any false so Check here if comment Check here if attachment	information on to statement may be are provided o	his Certificate repres e punishable by fine	sents my bes or imprisonr Were latitud	t efforts to interpret nent under 18 U.S. le and longitude in S	the data available.	PSM			
Certifier's Name JOHN D. O						-1 3 2 3			
Certifier's Name JOHN D. O'NEILL License Number PSM5233 Title LAND SURVEYOR Company Name JOHN D. O'NEILL									
Address P.O. BOX 881 City ONECO State FL ZiP Code 34264									
Signature	8	Date 5/14/2013		Telephone 94					
, -									

**EMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg, No.) or P.O. Route and Box No. State FI. ZIP Code 34228 Company NAIC Number: SECTION D — SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments LOWEST EQUIPMENT IS AC UNIT Signatury Date 5/14/2013 SECTION E — BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1—E6. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C, For Items E1—E4, use natural grade, if available. Check the reseasurement used. In Puters Rice to live only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (LAG), a) Top of bottom floor (including basement, crawlspace, or endosure) is						
City LONGBOAT KEY SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments LOWEST EQUIPMENT IS A/C UNIT Date 5/14/2013 SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C, For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate bose to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (HAG). B) Top of bottom floor (including basement, craw/space, or enclosure) is feet meters above or below the HAG. C) For Building Diagrams 6–9 with permanent flood openings provided in Section A terms 8 and/or 6 (see ages 8–9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is feet meters above or below the HAG. E3. Attached garage (top of stable) is feet meters above or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is feet meters above or below the HAG. E5. Zone AO only; if no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative's Name Address City State ZIP Code SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can comple						
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments LOWEST EQUIPMENT IS A/C UNIT SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is Intended to support a LOMA or LOMR-F request, complete Sections A, B, and C, For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top or bottom floor (including basement, crawlspace, or enclosure) is feet meters above or below the HAG. b) Top or bottom floor (including basement flood openings provided in Section A Items 8 and/or (seep agendor (seep age of instructions), the next higher floor (elevation C2.b in the diagrams) of the building is feet meters above or below the HAG. E3. Attached garage (top of stab) is feet meters above or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is above or below the HAG. E5. Zone AO only. If no flood depth number is available, is the top of the bottom floor (representative) in a continuous with the community's floodplain management ordinance?						
Comments LOWEST EQUIPMENT IS A/C UNIT Date 5/14/2013 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5, if the Cartificate is intended to support a LOMA or LOMR-r request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (LAG). a) Top of bottom floor (including basement, crawfspace, or enclosure) is feetmetersabove or below the LAG. b) Top of bottom floor (including basement, crawfspace, or enclosure) is feetmeters above or below the LAG. c) For Building Dilegrame -B - with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-6 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is feetmeters above or below the LAG. E3. Attached garage (top of stab) is feetmeters above or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is feet meters above or						
Signatury Date 5/14/2013 SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is Intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (IAAG), and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawfspace, or enclosure) is						
SECTION E — BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1—E5. If the Certificate is intended to support a LOMA or LOMA-F request, complete Sections A, B, and C. For Items E1—E4, we natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (IAAG). a) Top of bottom floor (including basement, craw/space, or enclosure) is						
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is Intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerio Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (I-AG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmetersabove or below the I-AG. b) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmetersabove or below the I-AG. E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or g (see pages 8–9 of Instructions), the next higher floor (elevation 02.b in the diagrams) of the building is feetmeters above or below the I-AG. E3. Attached garage (top of siab) is feetmeters above or below the I-AG. E5. Zone AO only: If no flood depth number is available, is the top of the building is feet meters above or below the I-AG. E5. Zone AO only: If no flood depth number is available, is the top of the building is feet meters above or below the I-AG. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner's or Owner's Authorized Representative's Name Address City State ZIP Code Signature						
For Zones AO and A (without BFE), complete Itoms E1–E5. If the Certificate is Intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is						
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is Intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawispace, or enclosure) is						
Address City State ZIP Code Signature Date Telephone Check here if attachme SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect whis authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)						
Signature Comments Check here if attachme SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect whis authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)						
Comments Check here if attachme						
SECTION G – COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect whis authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)						
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect whis authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)						
of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters. G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect whis authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)						
G3. The following information (Items G4–G10) is provided for community floodplain management purposes.						
G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued						
G7. This permit has been issued for: New Construction Substantial Improvement						
G8. Elevation of as-built lowest floor (including basement) of the building:						
G9. BFE or (in Zone AO) depth of flooding at the building site:						
G10. Community's design flood elevation: feet meters Datum						
Local Official's Name Title						
Community Name Telephone						
Signature Date						
Comments Check here if attachme						

ELEVATION CERTIFICATE, page 3

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No 3404 WINDING OAKS DR.	Policy Number:		
City LONGBOAT KEY	State FL	ZIP Code 34228	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

