## U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

## **ELEVATION CERTIFICATE**

Imp

OMB No. 1660-0008

| ortant: Read the instructions on pages 1-9. | Expiration Date: July 31, 2018 |
|---|--------------------------------|
|---|--------------------------------|

| SECTION A - PROPERTY INFORMAT  | ON FOR INSURANCE COMPANY USE  |  |  |  |  |
|--|---|--|--|--|--|
| A1. Building Owner's Name SUSAN LEVINE   | Policy Number:  |  |  |  |  |
| A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 3445 WINDING OAKS DRIVE  | Company NAIC Number:  |  |  |  |  |
| City LONGBOAT KEY State FL ZIP Code 3422   | 28  |  |  |  |  |
| A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) UNIT 23 WINDING OAKS CONDOMINIUM  |   |  |  |  |  |
| A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL  A5. Latitude/Longitude: Lat. 27 22 42.74 N Long. 82 37 19.01 W Horizontal Datum: NAD 1927 NAD 1983  A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.  A7. Building Diagram Number 1B  A8. For a building with a crawlspace or enclosure(s):  a) Square footage of crawlspace or enclosure(s) sq ft  b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade  c) Total net area of flood openings? Yes No  d) Engineered flood openings? Yes No   |   |  |  |  |  |
| SECTION B - FLOOD INSURANCE RATE MAP (FIRM)  | NFORMATION  |  |  |  |  |
| B1. NFIP Community Name & Community Number LONGBOAT KEY  B2. County Name MANATEE & SARASOTA  | B3. State<br>FL   |  |  |  |  |
| B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel Effective/Revised Date 8/15/1983  | B8. Flood B9. Base Flood Elevation(s) (Zone AO, use base flood depth)   |  |  |  |  |
| ☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other/Source:  B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other/Source:  B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ No Designation Date: ☐ CBRS ☐ OPA   |   |  |  |  |  |
|  |   |  |  |  |  |
| SECTION C - BUILDING ELEVATION INFORMATION (SUF  | RVEY REQUIRED)  |  |  |  |  |
| SECTION C – BUILDING ELEVATION INFORMATION (SUR  C1. Building elevations are based on:   Construction Drawings*   Building Under Co  *A new Elevation Certificate will be required when construction of the building is complete.  | nstruction*   |  |  |  |  |
| SECTION C – BUILDING ELEVATION INFORMATION (SUF  C1. Building elevations are based on:   C2. C2. C3. C4. C4. C4. C4. C4. C4. C4. C4. C4. C4  | nstruction*   |  |  |  |  |
| SECTION C – BUILDING ELEVATION INFORMATION (SUF  C1. Building elevations are based on:   C2. C2. C3. C4. C4. C4. C4. C4. C4. C4. C4. C4. C4  | nstruction*   |  |  |  |  |
| SECTION C – BUILDING ELEVATION INFORMATION (SUR  C1. Building elevations are based on:   C2. Construction Drawings*   Building Under Construction of the building is complete.  C3. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/AE, AND below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized:   GPS READINGS (1000)   Vertical Datum:   NGVD 1929 VERTOR Indicate elevation datum used for the elevations in items a) through h) below.   NGVD 1929   NGVD 1 | ristruction*  |  |  |  |  |
| SECTION C – BUILDING ELEVATION INFORMATION (SUR  C1. Building elevations are based on:   C2. Construction Drawings*  Building Under Construction of the building is complete.  C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/AE, AND below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized:  GPS READINGS (1000)  Vertical Datum:  NGVD 1929 VERTO Indicate elevation datum used for the elevations in items a) through h) below.  NGVD 1929  ND Datum used for building elevations must be the same as that used for the BFE.  a) Top of bottom floor (including basement, crawfspace, or enclosure floor)  11.0  N.A  | ristruction*  |  |  |  |  |
| SECTION C - BUILDING ELEVATION INFORMATION (SUR  C1. Building elevations are based on:   C2. Capture of the building is complete.  C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/AE, A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  Benchmark Utilized:  C3. GPS READINGS (1000)  C4. Vertical Datum:  C5. NGVD 1929 VERTA  C5. Indicate elevation datum used for the elevations in items a) through h) below.  C6. NGVD 1929 VERTA  C7. In Puerto Rico only, enter meters.  C8. NGVD 1929 VERTA  C8. Indicate elevation datum used for the elevations in items a) through h) below.  C8. NGVD 1929 In November 1 | ristruction*  |  |  |  |  |
| SECTION C – BUILDING ELEVATION INFORMATION (SURCE)  C1. Building elevations are based on:   C2. Capture of the building is complete.  C3. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  C3. Benchmark Utilized:  C4. GPS READINGS (1000)  C4. Vertical Datum:  C5. NGVD 1929 VERTO Indicate elevation datum used for the elevations in items a) through h) below.  C5. Datum used for building elevations must be the same as that used for the BFE.  C6. Top of bottom floor (including basement, crawlspace, or enclosure floor)  C6. Bottom of the lowest horizontal structural member (V Zones only)  C7. Datum used for building elevations must be the same as that used for the BFE.  C8. Datum used for building elevations must be the same as that used for the BFE.  C9. Bottom floor (including basement, crawlspace, or enclosure floor)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  | ristruction*  |  |  |  |  |
| SECTION C - BUILDING ELEVATION INFORMATION (SURCE)  C1. Building elevations are based on:   C2. Capture of the building is complete.  C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, A below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  C3. Benchmark Utilized:   C4. GPS READINGS (1000) Vertical Datum:   C5. NGVD 1929 VERTO Indicate elevation datum used for the elevations in items a) through h) below.   C6. NGVD 1929 Note that used for the BFE.  C8. Top of bottom floor (including basement, crawlspace, or enclosure floor)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Attached garage (top of slab)  C9. Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)  C9. Highest adjacent (finished) grade next to building (LAG)  C9. Highest adjacent (finished) grade next to building (HAG)   | ristruction*  |  |  |  |  |
| SECTION C - BUILDING ELEVATION INFORMATION (SUF  C1. Building elevations are based on:   | ristruction*  |  |  |  |  |
| SECTION C - BUILDING ELEVATION INFORMATION (SUF  C1. Building elevations are based on:  C2. Care consider the sequired when construction of the building is complete.  C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.  C3. Benchmark Utilized: GPS READINGS (1000)  C4. Vertical Datum: NGVD 1929 VERTO Indicate elevation datum used for the elevations in items a) through h) below.  C5. Datum used for building elevations must be the same as that used for the BFE.  C6. Bottom floor (including basement, crawfspace, or enclosure floor)  C7. Bottom of the lowest horizontal structural member (V Zones only)  C8. Bottom of the lowest horizontal structural member (V Zones only)  C9. Bottom of the lowest horizontal structural member (V Zones only)  C9. Attached garage (top of slab)  C9. Lowest elevation of machinery or equipment servicing the building  C9. (Describe type of equipment and location in Comments)  C9. Highest adjacent (finished) grade next to building (LAG)  C9. Highest adjacent (finished) grade next to building (HAG)  C9. Highest adjacent grade at lowest elevation of deck or stairs, including structural support  C6. Section D - Surveyor, engineer, or architect authorized by law information. I certify that the information on this Certificate represents my best efforts to interpret the dat I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Statement and palse statement may be punishable by fine or imprisonment under 18 U.S. Code, Statement and palse statement may be punishable by fine or imprisonment under 18 U.S. Code, Statement and palse statement may be punishable by fine or imprisonment under 18 U.S. Code, Statement and palse statement may be punishable by fine or imprisonment under 18 U.S. Code, Statement and palse statement may be punishable by fine or imprisonment under 18 U.S. Code, Statement and palse statement may | ristruction*  |  |  |  |  |
| SECTION C - BUILDING ELEVATION INFORMATION (SUF  C1. Building elevations are based on:   | R/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h  CON AVD 1988  Other/Source:  Check the measurement used.  Seet  meters  Seet meters  Seet meters  Seet meters  Seet meters  Seet meters  Seet meters  Feet meters |  |  |  |  |

| ELFVATION CERTIFICATE,   | page 2   |                    |   |   |                                  |   |
|--|--|--------------------|---|---|----------------------------------|---|
| IMPORTANT: In these spaces,  | copy the corresponding information   | ation from Sec     | tion A.   |   | FOR IN                           | SURANCE COMPANY USE   |
| Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 3445 WINDING OAKS DR   |  |                    |   |   | Policy N                         | umber.  |
| City LONGBOAT KEY  | Stat   | te FL ZIP C        | ode 34  | 228   | Compar                           | ny NAIC Number:   |
| SECTIO   | N D – SURVEYOR, ENGINEER, C  | R ARCHITECT        | CERT  | IFICATION (CO   | ONTINU                           | IED)  |
| Copy both sides of this Elevation Ce   | rtificate for (1) community official, (2) In:  | surance agent/co   | mpany,  | and (3) building o  | wner.                            |   |
| Comments LOWEST EQUIPMENT  | IS A/C UNIT  |                    |   | ······································  | ~~~                              |   |
| Jall 1   |  |                    |   |   |                                  |   |
| Signature  |  | Date 5/14/2        | 2013  |   |                                  |   |
| SECTION E - BUILDING EL  | EVATION INFORMATION (SURV  | EY NOT REQU        | IRED) I   | OR ZONE AO  | AND Z                            | ONE A (WITHOUT BFE)   |
| and C. For Items E1–E4, use natura E1. Provide elevation information figrade (HAG) and the lowest ac a) Top of bottom floor (includin b) Top of bottom floor (includin E2. For Building Diagrams 6–9 with (elevation C2.b in the diagrams E3. Attached garage (top of slab) is E4. Top of platform of machinery a E5. Zone AO only: If no flood dept | g basement, crawlspace, or enclosure) g basement, crawlspace, or enclosure) n permanent flood openings provided in s) of the building is | is                 | ### series Rice  ### whether  ### fire  ### 8 and/or  ### above  ### below  ### feet  ### intending and | co only, enter meter the elevation is set meters meters r9 (see pages 8-ve or below the HAG meters at occordance with the cordance with t | above of above of Institute HAG. | or below the highest adjacent or  below the HAG. or  below the LAG. ructions), the next higher floor below the HAG. |
| SECTIO   | N F - PROPERTY OWNER (OR O   | WNER'S REP         | RESEN   | TATIVE) CERT  | IFICAT                           | ION   |
| The property owner or owner's autho  | rized representative who completes Se<br>ements in Sections A, B, and E are con  | ctions A, B, and E | for Zor   | e A (without a FE   |                                  |   |
| Property Owner's or Owner's Authorit   | zed Representative's Name  |                    |   |   |                                  | <u> </u>  |
| Address  |  | City               |   | State   |                                  | ZIP Code  |
| Signature  | ,  | Date               |   | Teleph  | one                              | 1000  |
| Comments   |  |                    |   |   |                                  |   |
|  |  |                    |   |   |                                  | □ Oh  |
|  |  |                    |   |   |                                  | Check here if attachments   |
| The level official who is outherized by le   | SECTION G - COMMUNIT<br>w or ordinance to administer the commu   |                    |   |   | - aannia                         | to Continuo A. B. C. (no. E) and C.   |
|  | ne applicable item(s) and sign below. Ch   |                    |   |   |                                  |   |
|  | was taken from other documentation to elevation information. (Indicate the so  |                    |   |   |                                  |   |
| G2. A community official complet   | ed Section E for a building located in Z   | one A (without a   | FEMA-is   | sued or commun  | ity-issue                        | d BFE) or Zone AO.  |
| G3.   The following information (Ite   | ems G4–G10) is provided for community  | y floodplain mana  | gement  | purposes.   |                                  |   |
| G4. Permit Number  | G5. Date Permit Issued   | G6                 | . Date 0  | Certificate Of Con  | pliance/                         | Occupancy Issued  |
| G7. This permit has been issued for:   | ☐ New Construction ☐ Sul   | ostantial Improver | ment  |   |                                  |   |
|  | including basement) of the building:   | _                  | ] feet  | meters  | Datum                            |   |
| G9. BFE or (in Zone AO) depth of floo  | ding at the building site:   |                    | ] feet  | ☐ meters  | Datum                            |   |
| G10. Community's design flood elevati  | on:  | [                  | feet  | ☐ meters  | Datum                            | -   |
| Local Official's Name  |  | Title              |   |   | -                                |   |
| Community Name   |  | Telephor           | ne  |   | •                                |   |
| Signature  | Date   |                    |   |   |                                  |   |
| Comments   |  |                    |   |   |                                  | ☐ Check here if attachments   |

## ELEVATION CERTIFICATE, page 3

## **Building Photographs**

See Instructions for Item A6.

| IMPORTANT: In these spaces, copy the corresponding  | FOR INSURANCE COMPANY USE |                |                      |
|---|---------------------------|----------------|----------------------|
| Building Street Address (including Apt., Unit, Suite, and/or Bldg. No 3445 WINDING OAKS DR. | Policy Number:            |                |                      |
| City LONGBOAT KEY   | State FL                  | ZIP Code 34228 | Company NAIC Number: |

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

