

FEDERAL EMERGENCY MANAGEMENT AGENCY
NATIONAL FLOOD INSURANCE PROGRAM

O.M.B. No. 3067-0077
Expires December 31, 2006

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

Building 2

SECTION A - PROPERTY OWNER INFORMATION		For Insurance Company Use:
BUILDING OWNER'S NAME <u>Positano LLC</u>		Policy Number
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. <u>4965 Gulf of Mexico Dr.</u>		Company NAIC Number
CITY <u>Longboat Key</u>	STATE <u>Florida</u>	ZIP CODE <u>34228</u>
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) <u>Metes and Bounds Section 36 Township 35S Range 16E</u>		
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use a Comments area, if necessary.) <u>Residential</u>		
LATITUDE/LONGITUDE (OPTIONAL) (##-##-##.## or ##.#####)	HORIZONTAL DATUM: <input checked="" type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983	SOURCE: <input type="checkbox"/> GPS (Type): <input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER <u>Town of Longboat 125126</u>		B2. COUNTY NAME <u>Manatee</u>		B3. STATE <u>Florida</u>	
B4. MAP AND PANEL NUMBER <u>0005</u>	B5. SUFFIX <u>D</u>	B6. FIRM INDEX DATE <u>5-18-1992</u>	B7. FIRM PANEL EFFECTIVE/REVISED DATE <u>5-18-1992</u>	B8. FLOOD ZONE(S) <u>A13</u>	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding) <u>Elev. 11'</u>

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.
 FIS Profile FIRM Community Determined Other (Describe): _____

B11. Indicate the elevation datum used for the BFE in B9: NGVD 1929 NAVD 1988 Other (Describe): _____

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date _____

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction

*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number 1 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO

Complete Items C3.-a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.

Datum NGVD Conversion/Comments _____

Elevation reference mark used CON. Does the elevation reference mark used appear on the FIRM? Yes No

(a) Top of bottom floor (including basement or enclosure) 10.0 ft.(m)

(b) Top of next higher floor 22.2 ft.(m)

(c) Bottom of lowest horizontal structural member (V zones only) _____ ft.(m)

(d) Attached garage (top of slab) 10.0 ft.(m)

(e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area) 11.6 ft.(m)

(f) Lowest adjacent (finished) grade (LAG) 9.5 ft.(m)

(g) Highest adjacent (finished) grade (HAG) 9.9 ft.(m)

(h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade 21

(i) Total area of all permanent openings (flood vents) in C3.h 2555 sq. in. (sq. cm)

License Number, Embossed Seal, Signature, and Date

Martin J. Britt
65538
12/22/06

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.
I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.
I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Martin J. Britt LICENSE NUMBER 5538

TITLE President COMPANY NAME MSB Surveying, Inc.

ADDRESS 40 Sarasota Center Blvd. Unit H CITY Sarasota STATE FL ZIP CODE 34240

SIGNATURE Martin J. Britt DATE 8-21-2006 TELEPHONE (941) 341-9935

IMPORTANT: In these spaces, copy the corresponding information from Section A.			For Insurance Company Use:
BUILDING STREET ADDRESS (Including Apt. Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. 4965 Gulf of Mexico Dr.			Policy Number
CITY Longboat Key	STATE Florida	ZIP CODE 34278	Company NAIC Number

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS

- Elevations shown hereon are based on DNR Monument R62A (reset 1982) published elevation 8.82' (NGVD 1929)
- Lowest elevation of machinery is an A/C pad.

Check here if attachments

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.

- E1. Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)
- E2. The top of the bottom floor (including basement or enclosure) of the building is ___ ft.(m) ___ in.(cm) above or below (check one) the highest adjacent grade. (Use natural grade, if available).
- E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is ___ ft.(m) ___ in.(cm) above the highest adjacent grade. Complete items C3.h and C3.i on front of form.
- E4. The top of the platform of machinery and/or equipment servicing the building is ___ ft.(m) ___ in.(cm) above or below (check one) the highest adjacent grade. (Use natural grade, if available).
- E5. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?
 Yes No Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, C (Items C3.h and C3.i only), and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. *The statements in Sections A, B, C, and E are correct to the best of my knowledge.*

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME

ADDRESS CITY STATE ZIP CODE

SIGNATURE DATE TELEPHONE

COMMENTS

Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

- G1. The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. PERMIT NUMBER	G5. DATE PERMIT ISSUED	G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED
-------------------	------------------------	---

G7. This permit has been issued for: New Construction Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building is: ___ ft.(m) Datum: ___

G9. BFE or (in Zone AO) depth of flooding at the building site is: ___ ft.(m) Datum: ___

LOCAL OFFICIAL'S NAME TITLE

COMMUNITY NAME TELEPHONE

SIGNATURE DATE

COMMENTS

Check here if attachments

Bldg 2
Positano



V Zone Building Design and Performance Certificate

For New Construction, Substantial Improvements, and the repair of Substantially Damaged structures in Coastal Special Flood Hazard Area (Zone V)

Section 1: Structure Location and Ownership Information

To be completed by a Registered Professional Engineer or Architect

Structure Owner POSITANO, LLC.
Mailing Address BUILDING #2
4965 GULF OF MEXICO DRIVE
City LONGBOAT KEY State FL Zip Code 34228

Structure Location COASTAL "A" ZONE
Latitude _____ Longitude _____
County SARASOTA

Other Legal Description SECTION 36, T35S, R16E

Within City Limits? Y N Coastal Barriers Resource Act (CBRA) Zone Y N Y

Section 2: Flood Insurance Rate Map (FIRM) Data

NOTE: This Certificate is NOT a substitute for an Elevation Certificate.

Community Name TOWN OF LONGBOAT Community ID Number 125126 FIRM Panel Number 0005

Panel Suffix D FIRM Zone A-13 Date of FIRM Panel 5/18/1992 Date of Index 5/18/1992

Section 3: Elevation Information

Record elevations to one tenth of a foot.

Elevation of the bottom of the Lowest Horizontal Structural Member..... 19'-5" feet **REQUIRED BY STATE OF FLORIDA**


Base Flood Elevation (BFE)..... 11.0 feet

Elevation of Lowest Adjacent Grade (LAG)..... 9.5 feet

Elevation of Highest Adjacent Grade (HAG)..... 9.9 feet

Foundation type: Piling Post Pier Column Fill Shear Wall Enclosed Wall 1/6 2006

Foundation Description: CONCRETE PILINGS W/ C.I.P. CAPS



Elevation at Bottom of Foundation +5.9' feet
 Approximate depth of scour/erosion used for foundation design..... +2.0' feet
 Embedment depth of pilings or foundation below LAG..... 37' feet
 Datum used: NGVD 29 NAVD 88 Other _____
 Date of Construction 2/28/05 Improvement/Repair (to existing Bldg) New Building

Section 4: V Zone Certifying Statement

I certify that I have developed or reviewed the structural design, plans, and specifications for construction and that the proposed design and methods of construction are in accordance with accepted standards of practice for meeting the following provisions:
 The bottom of the lowest horizontal structural member of the lowest floor (including piles and columns) is elevated to above the BFE; and
 The pile or column foundation and structure attached thereto are anchored to resist floatation, collapse, lateral movement, or other structural damage from the effects of wind and water loads acting simultaneously on all structure components. Water loading values used are those associated with the base flood. Wind loading values used are those required by the applicable state or local building code. The potential for scour and erosion at the foundation has been anticipated for conditions associated with the base flood, including wave action.


Section 5: Breakaway Wall Certifying Statement

I certify that I have developed or reviewed the structural design, plans, and specifications for construction and that the proposed design and methods of construction are in accordance with accepted standards of practice for meeting the following provisions:
 Breakaway walls shall collapse from a water load no more than that which would occur during the base flood;
 The elevated portion of the building and supporting foundation system shall not be subject to collapse, displacement, or other structural damage due to the effects of wind and water loads acting simultaneously on all structure components; and
 The space below the lowest floor is designed to be used solely for parking of vehicles, building access, and/or storage.

Section 6: Certification

Check one: Section 4 Section 5 Section 4 & 5

Name (please print) J. THOMAS O'BRIEN
 Title PRINCIPAL ARCHITECT License number AR-13131 12 NOV 06
 Phone Number (941) 708-0048 EMAIL _____
 Representing J. THOMAS O'BRIEN, AIA, PA
 Address 906 9th STREET W.
 City BRADENTON State FL Zip Code 34205



CCCL ELEVATION CERTIFICATE

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

This certificate is required by section 3107 of the Florida Building Code for habitable structures built seaward of a coastal construction control line to ensure the lowest horizontal structural member of such structures is located above the local one-hundred-year storm elevation as published in the Florida Department of Environmental Protection's document titled, "One-Hundred-Year Storm Elevation Requirements for Habitable Structures Located Seaward of a Coastal Construction Control Line". The elevation of the lowest horizontal structural member is to be shown in relation to National Geodetic Vertical Datum (N.G.V.D., 1929).

NOTICE: This certificate shall be completed as part of the permitting process and submitted to the building official who will note any deficiencies and notify the permit holder of any actions necessary to bring the structure into compliance with the elevation requirement. Any deficiencies found by the building official shall be corrected by the permit holder immediately and prior to proceeding with work. Any work undertaken prior to submission of this certification shall be at the property owner's risk.

SECTION A Property Information			
PROPERTY OWNER'S NAME	Positano, LLC		
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. BOX NUMBER	4949 Gulf of Mexico Drive		
OTHER DESCRIPTION (Lot and Block Numbers, etc.)	Metes and Bounds Section 36, Township 35S, Range 16E		
CITY	STATE	ZIP CODE	
Longboat Key	Florida	34228	

SECTION B One-Hundred-Year Storm Elevation Information
1. Pursuant to the above document, the bottom of the lowest horizontal structural member must be located at or above <u>19.0'</u> feet N.G.V.D. per R-62
2. The bottom of the lowest horizontal structural member of the building is <u>21.38'</u> feet N.G.V.D.
3. Control elevation reference mark used: Benchmark ID <u>DNR-R62A</u> BM elevation: <u>8.82'</u> feet N.G.V.D.
Please refer to the diagrams on page 2 of this document for information regarding the location of the bottom of the lowest horizontal structural member.

SECTION C Certification			
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information and be submitted to and approved by the building official prior to commencing any additional work.			
I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.			
CERTIFIER'S NAME	TITLE	COMPANY NAME	LICENSE NUMBER
Martin S. Britt	President	MSB Surveying, Inc.	5538
ADDRESS	CITY	STATE	ZIP CODE
40 Sarasota Center Blvd Unit H	Sarasota	FL	34240
SIGNATURE	DATE	TELEPHONE	
<i>M S Britt</i>	10-17-2006	(941) 341-9935	
COMMENTS:			
100 year storm elevation for R-62			
monument per Department of			
Environmental Protection data revised			
Feb. 2002			
Building # 2			

