## U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENC

National Flood Insurance Program

#### **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

			SEC	HON A	- PROPERTY IN	FORMA	TION	FOR INS	URANCE COMPANY USE	
A1.	Building Owner's Name Willia	am A. Bowe						Policy Nu	umber:	
	Building Street Address (inclu Halyard Lane	uding Apt., U	Jnit, Suite, and/or	Bldg. N	o.) or P.O. Route and	Box No		Company	y NAIC Number:	
	City Longboat Key				State FL ZIP	Code 34	228			
	Property Description (Lot and 8, Block A - Country Club Shor				, Legal Description, e	etc.)				
	Building Use (e.g., Residentia				, , , , , , , , , , , , , , , , , , , ,					
	Latitude/Longitude: Lat. <u>27.34</u> Attach at least 2 photographs		•							
A7.	Building Diagram Number 1E	3	_	10 13 001						
A8.	For a building with a crawlspa a) Square footage of crawlsp			N/A	A9. sq ft		ilding with an atta are footage of atta	-	•	
	b) Number of permanent floo	od openings	in the crawlspace		<b>54</b> 1.	b) Num	ber of permanent	flood ope	nings in the attached garag	ge
	or enclosure(s) within 1.0 c) Total net area of flood ope			N/A N/A	sq in		n 1.0 foot above a I net area of flood			
	d) Engineered flood opening	•	Yes 🛭 No				ineered flood oper	, .	⊠ Yes □ No	
		SECTION	ON B - FLOOD	INSUF	RANCE RATE MA	P (FIRM	) INFORMATIO	N		
	NFIP Community Name & Cor n of Longboat Key 125126	mmunity Nur	mber	B2. Co Saras	ounty Name ota			B3. State FL	?	
B4	. Map/Panel Number B5. 125126 0010	. Suffix B	B6. FIRM Index I 05-18-1992	Date	B7. FIRM Pane Effective/Revised 08-15-1983		B8. Flood Zone(s) A13		ase Flood Elevation(s) (Zo O, use base flood depth) 11	ne
B10.	Indicate the source of the Bas	se Flood Ele	evation (BFE) data	or base	e flood depth entered	in Item I	39.			
244	☐ FIS Profile        F		Community Det							
	Indicate elevation datum used Is the building located in a Co						Other/Source:		☐ Yes ⊠ No	
	Designation Date: N/A				CBRS OP		(,			
		SECTION	C – BUILDING	ELEV	ATION INFORMAT	TION (S	URVEY REQUI	RED)		
	Building elevations are based of	on:	Construction D	awings	* 🔲 Buildin	g Under	URVEY REQUIR		nished Construction	
C2.	Building elevations are based of "A new Elevation Certificate will Elevations – Zones A1–A30, A	on: [ ill be required LE, AH, A (w	Construction Do d when constructi ith BFE), VE, V1-	rawings on of th	* Building building is complete (with BFE), AR, AR/A	g Under e. A, AR/AE	Construction*	⊠ Fin		
C2. I	Building elevations are based of the National Publicate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in	on: [ Ill be required E, AH, A (w g diagram sp front of Lot	Construction Did when construction BFE), VE, V1- pecified in Item A7	rawings on of th V30, V . In Pue Vert	* Building building building is complete (with BFE), AR, AR/Aerto Rico only, enter retical Datum: 4.14'	g Under e. A, AR/AE meters.	Construction* , AR/A1–A30, AR/	∑ Fin	O. Complete Items C2.a-h	
C2.	Building elevations are based of the new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used	on:  Ill be require  E, AH, A (w g diagram sp front of Lot for the eleva	Construction Did when construction BFE), VE, V1-pecified in Item A7 8 ations in items a) to	rawings on of th V30, V '. In Pue Vert	* ☐ Building building is complete (with BFE), AR, AR/Aerto Rico only, enter rical Datum: 4.14' h) below. ☒ NGVD	g Under e. A, AR/AE meters.	Construction* , AR/A1–A30, AR/	∑ Fin	O. Complete Items C2.a-h	
C2.	Building elevations are based of the National Publicate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in	on:  Ill be require  E, AH, A (w g diagram sp front of Lot for the eleva	Construction Did when construction BFE), VE, V1-pecified in Item A7 8 ations in items a) to	rawings on of th V30, V '. In Pue Vert	* ☐ Building building is complete (with BFE), AR, AR/Aerto Rico only, enter rical Datum: 4.14' h) below. ☒ NGVD	g Under e. A, AR/AE meters.	Construction* , AR/A1-A30, AR/ NAVD 1988	Fin AH, AR/A Other/Sour	O. Complete Items C2.a-h	
C2. I	Building elevations are based of A new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation.	on:  Ill be require  E, AH, A (w  g diagram sp  front of Lot  for the elevations must be	Construction Did when construction BFE), VE, V1— pecified in Item A7  8  ations in items a) the the same as the	rawings on of th V30, V . In Pue Vert through t used f	* ☐ Building is complete (with BFE), AR, AR/Aerto Rico only, enter rical Datum: 4.14' h) below. ☒ NGVD for the BFE.	g Under e. A, AR/AE meters. 1929	Construction* , AR/A1-A30, AR/ NAVD 1988   Check	⊠ Fin  AH, AR/A  Other/Source  the meas  ⊠ feet	O. Complete Items C2.a-h ce: surement used.  ☐ meters	
C2. I	Building elevations are based of A new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including D) Top of the next higher floor	on:  Ill be require.  E, AH, A (w g diagram sp front of Lot for the elevations must be	Construction Did when construction BFE), VE, V1— pecified in Item A7 ations in items a) if e the same as tha	rawings on of th V30, V I In Pue Vert through t used f	* ☐ Building is complete (with BFE), AR, AR/Aerto Rico only, enter ritical Datum: 4.14' h) below. ☒ NGVD for the BFE.	g Under e. A, AR/AE meters. 1929   12.62  N/A.	Construction* , AR/A1-A30, AR/ NAVD 1988   Check	⊠ Fin  AH, AR/A  Other/Sour  the meas  ⊠ feet □ feet	O. Complete Items C2.a-h  ce: surement used.  meters meters	
C2. [	Building elevations are based of A new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation.	on:  Ill be require.  E, AH, A (w g diagram sp front of Lot for the elevations must be g basement	Construction Did when construction BFE), VE, V1— pecified in Item A7 ations in items a) if e the same as tha	rawings on of th V30, V I In Pue Vert through t used f	* ☐ Building is complete (with BFE), AR, AR/Aerto Rico only, enter ritical Datum: 4.14' h) below. ☒ NGVD for the BFE.	g Under e. A, AR/AE meters. 1929	Construction* , AR/A1-A30, AR/ NAVD 1988   Check	⊠ Fin  AH, AR/A  Other/Source  the meas  ⊠ feet	O. Complete Items C2.a-h ce: surement used.  ☐ meters	
C2. II	Building elevations are based of A new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including) Top of the next higher floor (in Bottom of the lowest horizon)	on:  Ill be require to the control of Lot for the elevations must be to the control of Lot of the control of Lot for the control of Lot for the control of Lot for the control of the cont	Construction Did when construction the BFE), VE, V1—becified in Item A78 attions in items a) the the same as that a, crawlspace, or ear member (V Zonement servicing the	rawings on of th V30, V . In Pue Vert through t used f	* ☐ Buildin e building is complete (with BFE), AR, AR/Aerto Rico only, enter ritical Datum: 4.14' h) below. ☒ NGVD for the BFE.	g Under e. A., AR/AE meters. 1929   12.62 N/A. N/A.	Construction* , AR/A1-A30, AR/ NAVD 1988  Check	AH, AR/A  Other/Sour  the meas  feet feet feet	O. Complete Items C2.a-h  ce: surement used.	
C2. II	Building elevations are based of the New Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including) Top of the next higher floor (including) Bottom of the lowest horizon (including) Attached garage (top of slabe) Lowest elevation of machine (Describe type of equipment of Lowest adjacent (finished) g	on:  Ill be require.  E, AH, A (w g diagram sp front of Lot for the elevations must be g basement  atal structura b) ery or equipr t and locatio grade next to	Construction Did when construction the BFE), VE, V1—becified in Item A7 ations in items a) the ethe same as that a, crawlspace, or eal member (V Zonement servicing them in Comments) building (LAG)	rawings on of th V30, V . In Pue Vert through t used f	* ☐ Buildin e building is complete (with BFE), AR, AR/Aerto Rico only, enter ritical Datum: 4.14' h) below. ☒ NGVD for the BFE.	g Under e. A, AR/AE meters. 1929   12.62  N/A N/A N/A 8.75  12.56  4.81	Construction* , AR/A1-A30, AR/ NAVD 1988  Check	⊠ Fin  AH, AR/A  Other/Sour  the meas  feet feet feet feet feet feet feet fe	O. Complete Items C2.a-h  ce: surement used.     meters	
C2. II	Building elevations are based of A new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including to) Top of the next higher floor (b) Bottom of the lowest horizon (d) Attached garage (top of slabe) Lowest elevation of machine (Describe type of equipment (Duckst adjacent (finished) graph (p) Highest adjacent (finished) graph	on:  Ill be require to the control of the elevations must be to the control of th	Construction Did when construction the BFE), VE, V1—becified in Item A78 ations in items a) the ethe same as that a, crawlspace, or ear member (V Zonement servicing them in Comments) building (LAG) building (HAG)	rawings on of th V30, V . In Pue Vert through t used f enclosur es only)	* ☐ Building is complete (with BFE), AR, AR/Aerto Rico only, enter ritical Datum: 4.14' h) below. ☒ NGVD for the BFE.	g Under e. A, AR/AE neters. 1929   12.62 N/A. N/A. N/A. 8.75 12.56 4.81 8.13	Construction* , AR/A1-A30, AR/ NAVD 1988  Check	AH, AR/A  Other/Sour  the meas  feet feet feet feet feet feet feet	O. Complete Items C2.a-h  ce: surement used.     meters     meters	
C2. II	Building elevations are based of the New Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including) Top of the next higher floor (including) Bottom of the lowest horizon (including) Attached garage (top of slabe) Lowest elevation of machine (Describe type of equipment of Lowest adjacent (finished) g	on:  Ill be require to the control of Lot of Lot for the elevations must be to the control of Lot of the control of Lot of the control of Lot of the control	Construction Driver de la	rawings on of th V30, V Van Verl through t used functional es only) building	* □ Buildin e building is complete (with BFE), AR, AR/A erto Rico only, enter r tical Datum: 4.14' h) below. ☒ NGVD for the BFE. e floor) g	g Under e. A., AR/AE neters. 1929   12.62 N/A. N/A. N/A. 8.75 12.56 4.81 8.13 nt 6.46	Construction* , AR/A1–A30, AR/ NAVD 1988   Check	Simple   Simple	O. Complete Items C2.a-h  ce: surement used.     meters	
C2. IIII	Building elevations are based of A new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including) Top of the next higher floor (a) Bottom of the lowest horizon (b) Attached garage (top of slabe) Lowest elevation of machine (Describe type of equipment (Describe type of equipment (b) Lowest adjacent (finished) go (b) Lowest adjacent grade at low	on:  Ill be require E, AH, A (w g diagram sp front of Lot for the eleva- citions must be g basement  antal structura b) ery or equipm t and locatio grade next to grade next to west elevatio	Construction Did when construction of dispersion of deck or stairs.	rawings on of th V30, V 10, Pue Verl through t used functional building s, include <b>DR, EN</b>	* □ Building is complete (with BFE), AR, AR/A erto Rico only, enter retical Datum: 4.14' h) below. ☒ NGVD for the BFE.  The floor)  GINEER, OR ARC	g Under e. A, AR/AE meters. 1929   12.62 N/A N/A 8.75 12.56 4.81 8.13 rt 6.46 CHITECT	Construction* AR/A1-A30, AR/ NAVD 1988 Check	AH, AR/A  Other/Source  the meas  feet feet feet feet feet feet feet fe	O. Complete Items C2.a-h  ce: surement used.     meters     meters	
C2. IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Building elevations are based of A new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including) Top of the next higher floor (including) Top of the next higher floor (including) Attached garage (top of slabe) Lowest elevation of machine (Describe type of equipment of Lowest adjacent (finished) good Highest adjacent grade at lowest adjac	on:  Ill be required.  E, AH, A (w. g. diagram sp. front of Lot for the elevations must be g. g. basement and structuration of the form of	Construction Did when construction of dwhen construction Did when construction BED, VE, V1—becified in Item A78 ations in items a) to e the same as that at a crawlspace, or ear ment servicing them in Comments be building (LAG) to building (LAG) to building (HAG) on of deck or stair a land surveyor, as Certificate reprepunishable by fine	rawings on of th V30, V 1. In Pue Verl through t used functionaries only) building s, include the properties of the Poet of th	Building is complete (with BFE), AR, AR/A erto Rico only, enter retical Datum: 4.14' h) below. ⋈ NGVD for the BFE.  Be floor)  GINEER, OR ARC er, or architect author best efforts to interrisonment under 18 U	g Under e. A. AR/AE meters. 1929   12.62 N/A. N/A. 8.75 12.56 4.81 8.13 rt 6.46 CHITECT ized by larger the by J. S. Code	Construction*  AR/A1-A30, AR/  NAVD 1988 Check  Check  CERTIFICATIO  aw to certify elevate data available.  Section 1001.	AH, AR/A  Other/Source  the meas  feet feet feet feet feet feet feet fe	O. Complete Items C2.a-h  ce: surement used.     meters     meters	
C2. I I I I I I I I I I I I I I I I I I I	Building elevations are based of A new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including) Top of the next higher floor (including) Top of the next higher floor (including) Bottom of the lowest horizon (including) Attached garage (top of slabe) Lowest elevation of machine (Describe type of equipment (Describe type	on:  Ill be required.  E, AH, A (w. g. diagram sp. front of Lot for the elevations must be g. g. basement and structuration of the form of	Construction Did when construction of dwhen construction Did when construction BED, VE, V1—becified in Item A78 ations in items a) to e the same as that at a crawlspace, or ear ment servicing them in Comments be building (LAG) to building (LAG) to building (HAG) on of deck or stair a land surveyor, as Certificate reprepunishable by fine	rawings on of th V30, V 1. In Pue Vert through t used functionaries only) building s, include the puer through through the puer through through the puer through through the puer through through the puer through through the puer through the puer through through the puer through through the puer	Building is complete (with BFE), AR, AR/A crto Rico only, enter retical Datum: 4.14' h) below. ☑ NGVD for the BFE.  Be floor)  GINEER, OR ARC  er, or architect author best efforts to interrisonment under 18 U latitude and longitude	g Under e. A, AR/AE meters. 1929   12.62 N/A N/A 8.75 12.56 4.81 8.13 ft 6.46 CHITECT ized by largeret the J.S. Code in Section	Construction*  AR/A1-A30, AR/ NAVD 1988 Check Check  CERTIFICATIO  aw to certify elevated at a available.  Section 1001.  on A provided by	AH, AR/A  Other/Source  the meas  feet feet feet feet feet feet feet fe	O. Complete Items C2.a-h  ce: surement used.     meters     meters	
C2. IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Building elevations are based of A new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including) Top of the next higher floor (including) Bottom of the lowest horizon (Describe type of equipment (Describe type	on:  Ill be required E, AH, A (wo g diagram sp front of Lot for the eleva- tions must be g basement that structura b) ery or equipm t and locatio grade next to grade next	Construction Did when construction of dwhen construction Did when construction BED, VE, V1—becified in Item A78 ations in items a) to e the same as that at a crawlspace, or ear ment servicing them in Comments be building (LAG) to building (LAG) to building (HAG) on of deck or stair a land surveyor, as Certificate reprepunishable by fine	rawings on of th V30, V 1. In Pue Vert through t used functionaries only) building s, include the puer through through the puer through through the puer through through the puer through through the puer through through the puer through the puer through through the puer through through the puer	Building is complete (with BFE), AR, AR/A erto Rico only, enter rical Datum: 4.14' h) below. NGVD for the BFE. e floor)  GINEER, OR ARC er, or architect author best efforts to interrisonment under 18 Ulatitude and longitude ed land surveyor?	g Under e. A, AR/AE meters. 1929   12.62 N/A. N/A. 8.75 12.56 4.81 8.13 rt 6.46 CHITECT ized by lapton pret the color of t	Construction*  AR/A1-A30, AR/  NAVD 1988 Check  Check  Check  CERTIFICATIO  To certify elevation available, section 1001.  To A provided by the certify and the certify all the certify and the certification and th	AH, AR/A  Other/Source  the meas  feet feet feet feet feet feet feet fe	O. Complete Items C2.a-h  ce: surement used.     meters     meters	
C2. I I I I I I I I I I I I I I I I I I I	Building elevations are based of A new Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including) Top of the next higher floor (including) Top of the next higher floor (including) Bottom of the lowest horizon (including) Attached garage (top of slabe) Lowest elevation of machine (Describe type of equipment (Describe type	on:  Ill be required.  E. AH, A (w. g. diagram sp. front of Lot.  for the elevations must be g. be g. front of Lot.  Interpretation of the first specific or the elevations must be g. g. front of Lot.  Interpretation of the first specific or the elevation of the first specific or the fi	Construction Did when construction of dwhen construction by dwhen construction by the construction of the	rawings on of th V30, V 1. In Pue Vert through t used functionaries only) building s, include the puer through through the puer through through the puer through through the puer through through the puer through through the puer through the puer through through the puer through	Building is complete (with BFE), AR, AR/A crto Rico only, enter retical Datum: 4.14' h) below. ☑ NGVD for the BFE.  Be floor)  GINEER, OR ARC  er, or architect author best efforts to interrisonment under 18 U latitude and longitude	g Under e. A, AR/AE meters. 1929    12.62   N/A   8.75   12.56   4.81   8.13   8.13   6.46   CHITECT ized by largeret the e. J. S. Code in Section 1940   Import 40   Import 4	Construction*  AR/A1–A30, AR/ NAVD 1988  Check  Check  Check  Which is a continuous cont	AH, AR/A  Other/Source  the meas  feet feet feet feet feet feet feet fe	O. Complete Items C2.a-h  ce: surement used.     meters     meters	
C2. IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Building elevations are based of the New Elevation Certificate will Elevations – Zones A1–A30, A below according to the building Benchmark Utilized: PK & D in Indicate elevation datum used Datum used for building elevation. Top of bottom floor (including) Top of the next higher floor (including) Top of the next higher floor (including) Bottom of the lowest horizon (including) Attached garage (top of slabe) Lowest elevation of machine (Describe type of equipment (Describe ty	ill be required E. AH, A (w. g. diagram sp. front of Lot for the elevations must be g. be specified by the s	Construction Did when construction of dwhen construction by dwhen construction by the construction of the	rawings on of th V30, V 1. In Pue Vert through t used functionaries only) building s, include the puer through through the puer through through the puer through through the puer through through the puer through through the puer through the puer through through the puer through	Building be building is complete (with BFE), AR, AR/A crto Rico only, enter retical Datum: 4.14'  h) below. NGVD for the BFE.  Be floor)  GINEER, OR ARC  Ber, or architect author may best efforts to interrisonment under 18 U latitude and longitude ed land surveyor?  License Nu	g Under e. A, AR/AE meters.  1929   12.62 N/A. N/A. 8.75 12.56  4.81 8.13 rt 6.46  CHITEC1 ized by la pret the by J. S. Codo e in Secti ye umber 40 ering Co	Construction*  AR/A1–A30, AR/ NAVD 1988  Check  Check  Check  Which is a continuous cont	AH, AR/A  Other/Source  the meas  feet feet feet feet feet feet feet fe	O. Complete Items C2.a-h  ce: surement used.     meters     meters	

**ELEVATION CERTIFICATE**, page 2 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg, No.) or P.O. Route and Box No. Policy Number: 584 Halyard Lane City Longboat Key State FL ZIP Code 34228 Company NAIC Number: SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments C2e: A/C Pad S.W. of building El = 12.56 Signature John C. Minder Date 01-22-2014 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is ☐ feet ☐ meters ☐ above or ☐ below the HAG. b) Top of bottom floor (including basement, crawlspace, or enclosure) is \_\_\_\_ ☐ feet ☐ meters ☐ above or ☐ below the LAG. E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is ☐ feet ☐ meters ☐ above or ☐ below the HAG. F3 Attached garage (top of slab) is ☐ feet ☐ meters ☐ above or ☐ below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is \_\_\_\_\_ feet meters above or below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner's or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments Check here if attachments. SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. G1. [] The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) G2 🖂 A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. The following information (Items G4-G10) is provided for community floodplain management purposes. G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance/Occupancy Issued G7. This permit has been issued for: ☐ New Construction ☐ Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: ☐ feet meters Datum G9. BFE or (in Zone AO) depth of flooding at the building site: ☐ feet ☐ meters Datum G10. Community's design flood elevation: ☐ feet meters Datum Local Official's Name Title Community Name Telephone Signature Date

Check here if attachments.

Comments

#### **ELEVATION CERTIFICATE**, page

## Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the correspond	ing information fro	m Section A.	FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg 584 Halyard Lane	Policy Number:			
City Longboat Key	State FL	ZIP Code 34228	Company NAIC Number:	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.




**FRONT VIEW** 

### ELEVATION CERTIFICATE, page 4

# Building Photographs Continuation Page

IMPORTAN	T: In these spaces, copy the corresponding	FOR INSURANCE COMPANY USE		
Building Stre 584 Halyard	et Address (including Apt., Unit, Suite, and/or Bldg. N Lane	o.) or P.O. Route a	and Box No.	Policy Number:
City Longbox	at Key	State FL	ZIP Code 34228	Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



**REAR VIEW**