OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official. (2) insurance agent/compa

		TION A - PROPERTY						RANCE COMPANY USE
A1. Building Owner's Name					Policy Num			
Larry S. Kress								
A2. Building Street Ad Box No.	ddress (inc	cluding Apt., Unit, Sui	te, and/o	r Bldg. No.) o	or P.O.	Route and	Company N	IAIC Number:
620 Hibiscus Way			···········					
City	A 14 a.v.			State			ZIP Code	
Town of Longboa	····	- 1 Dis-1 N 1 T		Florida			34228	
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 104, The Preserve at Longbeach, Plat Book 63, Page 39, Public Records of Manatee County, FI; PID: 7782201209								
A4. Building Use (e.g	, Residen	tial, Non-Residential,	Addition	, Accessory,	etc.)	Residental		
A5. Latitude/Longitud	le: Lat. N	27°26'05.45"	Long. V	/ 082°40'53.7	71"	Horizontal D	atum: 🔲 NAD 1	1927 🗵 NAD 1983
A6. Attach at least 2	photograpi	ns of the building if the	e Certific	ate is being	used to	obtain flood ir	nsurance.	
A7. Building Diagram	Number	1B						
A8. For a building with	h a crawls	pace or enclosure(s):						
a) Square footag	e of crawls	space or enclosure(s)				sq ft		
b) Number of per	manent flo	od openings in the cr	awlspac	e or enclosur	e(s) wit	hin 1.0 foot at	ove adjacent gra	ade
c) Total net area	of flood op	enings in A8.b		sq ii	n	7	ECEN	
d) Engineered flo	ood openin	gs? 🗌 Yes 🔲 N	No				gen par par	
A9. For a building with	an attach	ed garage:					FEB 2 3 20	
				488.63 sq f	,		IN OF LONGS anning, Zoning &	
a) Square footage							-	201101113
		od openings in the at	tached g	arage within	1.U toot	above adjace	ent grade 3	
c) Total net area	of flood op	enings in A9.b		600.00 sq	in in			
d) Engineered floo	od opening	gs? ⊠ Yes 🔲 N	No					
	SE	CTION B - FLOOD	NSURA	NCE RATE	MAP (FIRM) INFOR	RMATION	
B1. NFIP Community I		ommunity Number		B2. County	Name			B3. State
Town of Longboat Key	y - 125126			Manatee				Florida
B4. Map/Panel B9	5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/	B8. FI Zone(9. Base Flood E (Zone AO, use	levation(s) Base Flood Depth)
12081C0291 E		03-17-2014	03-17-2	vised Date 2014	AE	9		
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:								
☐ FIS Profile ☒ FIRM ☐ Community Determined ☐ Other/Source:								
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source:								
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes X No								
Designation Date				□ OPA	, =: 5= 0		. J. John Mea (C	···/›: Lies KINO
	-		JD110					

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.					FOR INSURANCE COMPANY USE	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 620 Hibiscus Way					Number of Child	
	State ZIP	' Code	Compa	ny NAIC N	Number 2	
Town of Longboat Key	Florida 342	228			3 23	
SECTION C – BUILDING	ELEVATION INFORMA	TION (SURVEY RE			(A) (
C1. Building elevations are based on: Construe A new Elevation Certificate will be required when C2. Elevations – Zones A1–A30, AE, AH, A (with BF Complete Items C2.a–h below according to the I Benchmark Utilized: NGS PID #DL 1838 Indicate elevation datum used for the elevations NGVD 1929 NAVD 1988 Oth Datum used for building elevations must be the second a) Top of bottom floor (including basement, crave b) Top of the next higher floor C) Bottom of the lowest horizontal structural mend Attached garage (top of slab) e) Lowest elevation of machinery or equipment (Describe type of equipment and location in C5) Lowest adjacent (finished) grade next to build g) Highest adjacent (finished) grade next to build	en construction of the build (E), VE, V1–V30, V (with E building diagram specified Vertical Datum in items a) through h) beloner/Source: same as that used for the wispace, or enclosure floor (V Zones only) servicing the building Comments) ding (LAG)	BFE), AR, AR/A, AR/ in Item A7. In Puerto : NAVD 1988 ow.	AE, AR/	A1-A30, Anly, enter		
h) Lowest adjacent grade at lowest elevation of structural support	deck or stairs, including		9.4	★ feet	meters	
SECTION D - SURVEYO	OR ENGINEER OR AR	CHITECT CERTIFI	CATIO	<u> </u>		
This certification is to be signed and sealed by a land I certify that the information on this Certificate representatement may be punishable by fine or imprisonment. Were latitude and longitude in Section A provided by	surveyor, engineer, or arc ents my best efforts to inte tunder 18 U.S. Code, Sec	chitect authorized by rpret the data available ction 1001.	law to c	ertify elev	ation information. hat any false e if attachments.	
Certifier's Name	License Number		T	*1.*	errans en	
Walter J. Smith Title Professional Surveyor and Mapper Company Name ESP Associates FL, INC. Address 518 13TH ST. W. City Bradenton	PSM #4807 FEB 2 : TOWN OF LOT Planning, Zoni State Florida	NGBOAT KEY		A Comment	Sofiet	
Signature	Date 02-13-2023	Telephone (941) 345-5451	Ext.			
Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.						
Comments (including type of equipment and location, per C2(e), if applicable) The purpose of this certificate is to reflect the Final As-Built Elevations. Site BM based on NGS BM M C B E 22, PID DL1838 with a published Elevation of 14.25 feet (NAVD 1988). A9 c) Engineered openings manufactured by Smartvent Products, Inc., model number 1540-520, ICC-ES Report # ESR-2074 (attached). Rated at 200 square feet per unit. C2(e) Lowest equipment servicing the building is an A/C unit on the North side of Residence on an elevated concrete pad. FEMA Maps were updated in 2020. New Map Panel number is 12081C0291 F, Dated 08/10/2021 lying in Zone AE (EL 8)						

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

	ORTANT: In these spaces, copy the correspond			l	FOR INSURAN	ICE COMPANY USE
	ding Street Address (including Apt., Unit, Suite, an	d/or Bldg. No.) or	P.O. Route and Box	No.	Policy Number	: PLOGA
	Hibiscus Way		715.0			··· · · · · · · · · · · · · · · · · ·
City		State Florida	ZIP Code 34228		Company NAIC	
104						955
	SECTION E – BUILDING EI FOR ZON		E A (WITHOUT BF			(RO)
con	Zones AO and A (without BFE), complete Items E pplete Sections A, B,and C. For Items E1–E4, use per meters.					
E1.	Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest			whethe	the elevation is	above or below
	Top of bottom floor (including basement, crawlspace, or enclosure) is			meter	s Пabove or	below the HAG.
	b) Top of bottom floor (including basement,					
	crawlspace, or enclosure) is		[] feet [meter	s above or	below the LAG.
E2.	For Building Diagrams 6–9 with permanent flood	openings provided	in Section A Items	8 and/or	9 (see pages 1-	-2 of Instructions),
	the next higher floor (elevation C2.b in the diagrams) of the building is		feet [meter	s above or	below the HAG.
E3.	Attached garage (top of slab) is			meter	s Пabove or	below the HAG.
E4.	Top of platform of machinery and/or equipment servicing the building is			meter	_	below the HAG.
E5.	Zone AO only: If no flood depth number is available floodplain management ordinance? Yes	ole, is the top of the	bottom floor elevat	ted in acc	cordance with th	e community's
	SECTION F - PROPERTY OW	NED (OD OWNER	D'S DEDDESENTAT	TN/E\ CE	DTIEICATION	
con	property owner or owner's authorized representati Imunity-issued BFE) or Zone AO must sign here. T	ive who completes The statements in S	· Sections A, B, and Sections A, B, and E	E for Zo	ne A (without a le ect to the best o	FEMA-issued or of my knowledge.
			• •			,
Pro	perty Owner or Owner's Authorized Representative	's Name			 	
Pro	perty Owner or Owner's Authorized Representative	's Name			· · · · · · · · · · · · · · · · · · ·	
	perty Owner or Owner's Authorized Representative		ity	Sta	te	ZIP Code
Ado		C	iity Pate		ephone	ZIP Code
Ado	ress	C				ZIP Code
Ado	nature	C				ZIP Code
Ado	nature	C		Tel	ephone	
Ado	nature	C		Tel	ephone	
Ado	nature	C		Tel	ephone	
Ado	nature	C		Tel	ephone	Process To a series of the ser
Ado	nature	C		Tel	ephone RECE	2023
Ado	nature	C		Tel	ephone RECE	2023
Ado	nature	C		Tel	ephone	2023
Ado	nature	C		Tel	ephone RECE	2023
Ado	nature	C		Tel	ephone RECE	2023
Ado	nature	C		Tel	ephone RECE	2023
Ado	nature	C		Tel	ephone RECE	2023
Ado	nature	C		Tel	ephone RECE	2023

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corr	responding informatio	n from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, S 620 Hibiscus Way	Suite, and/or Bldg. No.) (or P.O. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number Q
Town of Longboat Key	Florida	34228	3 79
		NFORMATION (OPTIONAL	
The local official who is authorized by law or o Sections A, B, C (or E), and G of this Elevation used in Items G8-G10. In Puerto Rico only, en	n Certificate. Complete inter meters.	the applicable item(s) and s	ign below. Check the measurement
data in the Comments area below.)	zed by law to certify ele	vation information. (Indicate	the source and date of the elevation
G2. A community official completed Section Zone AO.	tion E for a building loca	ated in Zone A (without a FE	MA-issued or community-issued BFE)
G3. The following information (Items G4-	-G10) is provided for co	ommunity floodplain manage	ement purposes.
G4. Permit Number	G5. Date Permit Issu	ged G6	. Date Certificate of Compliance/Occupancy Issued
G7. This permit has been issued for:	New Construction	Substantial Improvement	
G8. Elevation of as-built lowest floor (includin of the building:	g basement)	fe	eet meters Datum
G9. BFE or (in Zone AO) depth of flooding at	the building site:	fe	eet meters Datum
G10. Community's design flood elevation:		fe	eet meters Datum
Local Official's Name		Title	
Community Name		Telephone	
Signature		Date	
Comments (including type of equipment and loa	cation, per C2(e), if app	licable)	
		TOWN: Planni	FEB 2 3 2623 OF LONGBOAT KEY Soning & Suliding
			Check here if attachments.

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 620 Hibiscus Way City State ZIP Code Company NAIC Numb Town of Longboat Key Florida 34228

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Rear View"; and, if required, "Right Side View" and "Rear View"; and, if required, "Right Side View" and "Rear View". If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.




Photo One

Photo One Caption Front View (02/07/2023)



Clear Photo One



Photo Two Caption Rear View (02/07/2023)

Clear Photo Two

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt 620 Hibiscus Way	Policy Number:		
City	State	ZIP Code	Company NAIC Number
Town of Longboat Key	Florida	34228	6 2

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, of photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Photo Three

Photo Three Caption Right Side View (02/07/2023)

Clear Photo Three




Photo Four Caption Left Side View (02/07/2023)

Clear Photo Four

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 620 Hibiscus Way City State ZIP Code Company NAIC Number Town of Longboat Key Florida 34228

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.




Photo One Caption Vent 1 (02/07/2023)




Photo Two Caption Vent 2 (02/07/2023)

Clear Photo Two

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008

Expiration Date: November 30, 2022

				,
IMPORTANT: In these spaces, copy t	FOR INSURANCE COMPANY USE			
Building Street Address (including Apt., 620 Hibiscus Way	Policy Number:	& DC		
City	State	ZIP Code	Company NAIC Number	8 %
Town of Longboat Key	Florida	34228		2 (1)

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Three

Photo Three Caption Vent 3 (02/07/2023)

Clear Photo Three



Photo Four

Photo Four Caption

Clear Photo Four



Most Widely Accepted and Trusted

ICC-ES Evaluation Report

ESR-2074

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

Reissued 02/2023
This report is subject to renewal 02/2025

DIVISION: 08 00 00—OPENINGS
SECTION: 08 95 43—VENTS/FOUNDATION FLOOD VENTS

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514 FLOOD VENT SEALING KIT #1540-526



RECEIVED
FEB 2 3 2023

TOWN OF LONGBOAT KEY Planning, Zoning & Building

"2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence"

A Subsidiary of in

Dibe Council

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



Copyright [©] 2023 ICC Evaluation Service, LLC. All rights reserved.









- I-Codes provide recognition in all 50 states
- Specialty code recognition

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

ICC-ES Evaluation Report ESR-2074

DIVISION: 08 00 00—OPENINGS Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514 FLOOD VENT SEALING KIT #1540-526

1.0 EVALUATION SCOPE

Compliance with the following codes:

- 2021, 2018, 2015, 2012, 2009 and 2006 International Building Code® (IBC)
- 2021, 2018, 2015, 2012, 2009 and 2006 International Residential Code® (IRC)
- 2021 and 2018 International Energy Conservation Code[®] (IECC)
- 2013 Abu Dhabi International Building Code (ADIBC)†

1The ADIBC is based on the 2009 IBC. 2009 IBC code sections referenced in this report are the same sections in the ADIBC.

Properties evaluated:

- Physical operation
- Water flow

2.0 USES

The Smart Vent® units are engineered mechanically operated flood vents (FVs) employed to equalize hydrostatic pressure on walls of enclosures subject to rising or falling flood waters. Certain models also allow natural ventilation.

3.0 DESCRIPTION

3.1 General

When subjected to rising water, the Smart Vent® FVs internal floats are activated, then pivot open to allow flow in either direction to equalize water level and hydrostatic pressure from one side of the foundation to the other. The FV pivoting door is normally held in the closed position by a buoyant release device. When subjected to rising water, the buoyant release device causes the unit to unlatch, allowing

Reissued February 2023

This report is subject to renewal February 2025.

the door to rotate out of the way and allow flow. The water level stabilizes, equalizing the lateral forces. Each unit is fabricated from stainless steel. Smart Vent® Automatic Foundation Flood Vents are available in various models and sizes as described in Table 1. The SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 units each contain two vertically arranged openings per unit.

3.2 Engineered Opening:

The FVs comply with the design principle noted in Section 2.7.2.2 and Section 2.7.3 of ASCE/SEI 24-14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2008 IBC and IRC)] for a maximum rate of rise and fall of 5.0 feet per hour (0.423 mm/s). In order to comply with the engineered opening requirement of ASCE/SEI 24, Smart Vent FVs must be installed in accordance with Section 4.0.

3.3 Ventilation:

The SmartVENT® Model #1540-510 and SmartVENT® Overhead Door Model #1540-514 both have screen covers with ¼-inch-by-¼-inch (6.35 by 6.35 mm) openings, yielding 51 square inches (32.903 mm²) of net free area to supply natural ventilation. The SmartVENT® Stacking Model #1540-511 consists of two Model #1540-510 units in one assembly, and provides 102 square inches (65.806 mm²) of net free area to supply natural ventilation. Other FVs described in this report do not offer natural ventilation.

3.4 Flood Vent Sealing Kit:

The Flood Vent Sealing <u>Kit Model</u> #1540-528 is used with SmartVENT® Model #1540-520. It is a Homasote 440 Sound Barrier® (ESR-1374) insert with 21 – 2-inch-by-2-inch (51 mm x 51 mm) squares cut in it. See Figure 4.

4.0 DESIGN AND INSTALLATION

4.1 SmartVENT® and FloodVENT®:

SmartVENT® and FloodVENT® are designed to be installed into walls or overhead doors of existing or new construction from the exterior side. Installation of the vents must be in accordance with the manufacturer's instructions, the applicable code and this report. Installation clips allow mounting in masonry and concrete walls of any thickness. In order to comply with the engineered opening design principle noted in Section 2.7.2.2 and 2.7.3 of ASCE/SEI 24–14 [Section 2.6.2.2 of ASCE/SEI 24-05 (2012, 2009, 2006 IBC and IRC)], the Smart Vent® FVs must be installed as follows:

TOWN OF LONGBOAT KEY Planning, Zoning & Building

ICC-EN Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed nor are they to be construed as an endorteneous of the subject of the report or a recommendation for its use. There is no warrant, by B.C. Evaluation Service 111, express or implied as to any finding or other matter in this report or as to any product covered by the report.



- With a minimum of two openings on different sides of each enclosed area.
- With a minimum of one FV for every 200 square feet (18.6 m²) of enclosed area, except that the SmartVENT® Stacking Model #1540-511 and FloodVENT® Stacking Model #1540-521 must be installed with a minimum of one FV for every 400 square feet (37.2 m²) of enclosed area.
- Below the base flood elevation.
- With the bottom of the FV located a maximum of 12 inches (305.4 mm) above the higher of the final grade or floor and finished exterior grade immediately under each opening.

4.2 Flood Vent Sealing Kit

The Flood Vent Sealing Kit Model 1540-526 is used in conjunction with FloodVENT® Model #1540-520. When installed and tested in accordance with ASTM E283, the FV and Flood Vent Sealing Kit assembly have an air leakage rate of less than 0.2 cubic feet per minute per lineal foot (18.56 l/min per lineal meter) at a pressure differential of 1 pound per square foot (50 Pa) based on 12.58 lineal feet (3.8 lineal meters) contained by the Flood Vent Sealing Kit.

5.0 CONDITIONS OF USE

The Smart Vent® FVs described in this report comply with, or are suitable alternatives to what is specified in, those codes listed in Section 1.0 of this report, subject to the following conditions:

5.1 The Smart Vent[®] FVs must be installed in accordance with this report, the applicable code and the

- manufacturer's installation instructions. In the event of a conflict, the instructions in this report govern.
- 5.2 The Smart Vent[®] FVs must not be used in the place of "breakaway walls" in coastal high hazard areas, but are permitted for use in conjunction with breakaway walls in other areas.

6.0 EVIDENCE SUBMITTED

- 6.1 Data in accordance with the ICC-ES Acceptance Criteria for Mechanically Operated Flood Vents (AC364). dated August 2015 (editorially revised February 2021).
- 6.2 Test report on air infiltration in accordance with ASTM E283.

7.0 IDENTIFICATION

- 7.1 The Smart VENT[®] models and the Flood Vent Sealing Kit described in this report must be identified by a label bearing the manufacturer's name (Smartvent Products, Inc.), the model number, and the evaluation report number (ESR-2074).
- 7.2 The report holder's contact information is the following:

SMART VENT PRODUCTS, INC. 19 MANTUA ROAD MOUNT ROYAL, NEW JERSEY 08061 (877) 441-8368

www.smartyent.com info@smartyent.com

TABLE	1-MODEL	SIZES
-------	---------	-------

MODEL NAME	MODEL NUMBER	MODEL SIZE (in.)	COVERAGE (sq. ft.)		
FloodVENT [®]	1540-520	$15^3/4^* \times 7^3/4^*$	200		
SmartVENT*	1540-510	15 ³ / ₄ " X 7 ³ / ₄ "	200		
FloodVENT® Overhead Door	1540-524	15 ³ /4" X 7 ³ /4"	200		
SmartVENT® Overhead Door	1540-514	15 ³ / ₄ * X 7 ³ / ₄ *	200		
Wood Wall FloodVENT®	1540-570	14" X 8 ³ /4"	200		
Wood Wall FloodVENT® Overhead Door	1540-574	14" X 8 ³ /4"	200		
SmartVENT [®] Stacker	1540-511	16" X 16"	400		
FloodVent® Stacker	1540-521	16" X 16"	400		

For \$1: 1 inch = 25.4 mm; 1 square foot = m2




FIGURE 1-SMART VENT: MODEL 1540-510






FIGURE 2-SMART VENT MODEL 1540-520




FIGURE 3-SMART VENT: SHOWN WITH FLOOD DOOR PIVOTED OPEN




FIGURE 4-FLOOD VENT SEALING KIT



ICC-ES Evaluation Report

ESR-2074 CBC and CRC Supplement

Reissued February 2023

This report is subject to renewal February 2025.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00—OPENINGS

Section: 08 95 43—Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-524; #1540-524; #1540-514
FLOOD VENT SEALING KIT #1540-526

1.0 REPORT PURPOSE AND SCOPE

Purpose:

The purpose of this evaluation report supplement is to indicate that Smart Vent® Automatic Foundation Flood Vents, described in ICC-ES evaluation report ESR-2074, have also been evaluated for compliance with codes noted below.

Applicable code editions:

■ 2019 California Building Code (CBC)

For evaluation of applicable chapters adopted by the California Office of Statewide Health Planning and Development (OSHPD) AKA: California Department of Health Care Access and Information (HCAI) and the Division of State Architect (DSA), see Sections 2.1.1 and 2.1.2 below.

■ 2019 California Residential Code (CRC)

2.0 CONCLUSIONS

2.1 CBC:

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-2074, comply with 2019 CBC Chapter 12, provided the design and installation are in accordance with the 2018 *International Building Code®* (IBC) provisions noted in the evaluation report and the additional requirements of CBC Chapters 12 and 16, as applicable.

2.1.1 OSHPD:

The applicable OSHPD Sections and Chapters of the CBC are beyond the scope of this supplement.

2.1.2 DSA

The applicable DSA Sections and Chapters of the CBC are beyond the scope of this supplement.

2.2 CRC:

The Smart Vent[®] Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-2074, comply with the 2019 CRC, provided the design and installation are in accordance with the 2018 *International Residential Code®* (IRC) provisions noted in the evaluation report.

This supplement expires concurrently with the evaluation report, reissued February 2023.

RECEIVED

FEB 2 3 2023

TOWN OF LONGBOAT KEY Planning, Zoning & Building

ICC ENERGIMENT Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warrant, by R.C. Evaluation Service 113. Express or imputed as to any finding or other matter in this report or as to any product covered by the report.





ICC-ES Evaluation Report

ESR-2074 FBC Supplement

Reissued February 2023

This report is subject to renewal February 2025.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

DIVISION: 08 00 00-OPENINGS

Section: 08 95 43-Vents/Foundation Flood Vents

REPORT HOLDER:

SMART VENT PRODUCTS, INC.

EVALUATION SUBJECT:

SMART VENT® AUTOMATIC FOUNDATION FLOOD VENTS: MODELS #1540-520; #1540-521; #1540-510; #1540-511; #1540-570; #1540-574; #1540-524; #1540-514 FLOOD VENT SEALING KIT #1540-526

1.0 REPORT PURPOSE AND SCOPE

The purpose of this evaluation report supplement is to indicate that Smart Vent® Automatic Foundation Flood Vents, described in ICC-ES evaluation report ESR-2074, have also been evaluated for compliance with the codes noted below.

Applicable code editions:

- 2020 Florida Building Code—Building
- 2020 Florida Building Code-Residential

2.0 CONCLUSIONS

The Smart Vent® Automatic Foundation Flood Vents, described in Sections 2.0 through 7.0 of the evaluation report ESR-2074, comply with the Florida Building Code—Building and the Florida Building Code—Residential, provided the design requirements are determined in accordance with the Florida Building Code-Building or the Florida Building Codeapplicable. The installation requirements noted in ICC-ES evaluation report ESR-2074 for 2018 International Building Code® meet the requirements of the Florida Building Code—Building or the Florida Building Code—Residential, as applicable

Use of the Smart Vent[®] Automatic Foundation Flood Vents has also been found to be in compliance with the High-Velocity Hurricane Zone provisions of the Florida Building Code-Building and the Florida Building Code-Residential.

For products falling under Florida Rule 61G20-3, verification that the report holder's quality assurance program is audited by a quality assurance entity approved by the Florida Building Commission for the type of inspections being conducted is the responsibility of an approved validation entity (or the code official when the report holder does not possess an approval by the Commission).

This supplement expires concurrently with the evaluation report, reissued February 2023.



