



The pool will be equipped with a device certified to ASTM F2208 "Standard Safety Specifications for Residential Pool Alarms" which sounds an alarm upon defection of an accidental or unauthorized entrance into water.
 #8 AWG BOND WIRE 4" - 6" BELOW SUBGRADE 18" - 24" FROM POOL BONDED @ 4 POINTS TO POOL SHELL NEC 680.26(B)(2)(B)

SIGNATURE _____

DATE _____



JOB: SEAWARD DEVELOPMENT
 DRAWN: 12/18/24

CUSTOMER INFO

CUSTOMER NAME: SEAWARD DEVELOPMENT (ATTN: MATTHEW LEAKE)
 ADDRESS: 6489 GULFSIDE RD
 CITY/STATE/ZIP: LONGBOAT KEY, FL 34228
 PHONE: _____ FAX: _____
 CELL: (941) 809-5863
 EMAIL: matthew@seawarddevelopment.com

POOL

LENGTH: 40' SQFT: 614
 WIDTH: 15' PERIMETER: 129'
 DEPTH: 3' - 5' LIGHTS: 5 LED
 RETURNS: 3 DRAINS: 2 SDX
 INTERIOR MATL: STONESCAPES POOL BEAM: 6"
 NOTES: _____

SPA

LENGTH: 9' OD SQFT: 49
 WIDTH: 9' OD PERIMETER: 28'
 DEPTH: 3' LIGHTS: 1 LED
 RETURNS: 6 JETS DRAINS: 2 SDX
 RAISED HEIGHT: 24" SPILLWAY: 360 INFINITY EDGE
 INTERIOR MATL: STONESCAPES SPA BEAM: 10"
 NOTES: _____

PLUMBING

RETURNS: 3 SKIMMERS: 1
 VAC LINES: N/A MAIN DRAINS: SDX
 CLEANING SYSTEM: N/A
 WATER FEATURES: BUBBLER
 NOTES: _____

DECK BY OTHERS

DECK TYPE: TRAVERTINE ELEVATION: -4" HOUSE
 TOTAL DECK SQFT: 2392 PERIMETER: _____
 RAISED BEAM: N/A MATERIAL: _____
 NOTES: _____

EQUIPMENT

POOL PUMP: PENTAIR INTELL-FLOW
 FILTRATION: CRTG FILTER SIZE: #150
 TIMER: EASY TOUCH CHLORINATOR: SALT
 HEATER: PENTAIR 140K BTU HEAT PUMP / PENTAIR 400K BTU (GAS)
 NOTES: _____



ADDRESS: 2175 9th ST
 CITY/STATE/ZIP: SARASOTA, FL 34237
 PHONE: (941) 780-8437 FAX: (941) 378-2002
 EMAIL: rissler@ymail.com
 DESIGNER: CHARLES RISSLER
 ALTERNATE CONTACT: EARL RISSLER
 LICENSE #: CPC1457329

SCALE: 1/8" = 1'-0"

REF: EARL / JULIE

BLDG PERMIT PLANS
 FILE
 Copy of Record

NOTE: POOL TO BE SURROUNDED BY FENCE TO MEET SAFETY REQUIREMENTS INCLUDING SELF LATCHING DOOR WITH 54" HT LATCH

RECEIVED
 DEC 30 2024
 TOWN OF LONGBOAT KEY
 Planning, Zoning & Building

