

GENERAL DATA

1. NAME: ADCORP, Inc.
307 North Tamiami Trail
Sarasota, Florida 33581
TELEPHONE: 813/957-0120
2. OWNER: ADCORP, Inc.
307 North Tamiami Trail
Sarasota, Florida 33581
TELEPHONE: 813/957-0120
3. ENGINEER: Bennett & Bishop, Inc.
4509 Bee Ridge Road
Sarasota, Florida 33583
TELEPHONE: 813/371-6362
4. ARCHITECT: West & Bier
2250 South Dixie Highway
Miami, Florida 33133
TELEPHONE: 305/858-3030
5. SEWAGE COLLECTION & DISPOSAL:
Town of Longboat Key
Approval #7831C (12/18/70)
Longboat Utilities
6. WATER DISTRIBUTION:
Town of Longboat Key
Approval #5544J (1/15/71)
Longboat Utilities
7. DRAINAGE SYSTEM:
Surface runoff to grated inlets
Underground pipes to retention ponds,
Longboat Key Golf Club
Minimum driveway grade +4.5 MSI
Drainage Criteria: 10 yr. storm, minor drains
25 yr. storm, major drains
Runoff coefficient for area east of 150'
 setback line = 0.8 (weighted)
8. All construction in accordance with applicable provisions of Town
of Longboat Key Ordinances.
9. Provisions of Town of Longboat Key Tree Ordinance to be complied
with.

ADCORP INC.
THE BEACHES
FLORIDA

GENERAL SITE PLAN

LONGBOAT KEY

DATE	REV.
2-23-82	1
1" = 100'	A

DRAWN BY: [Name]

CHECKED BY: [Name]

APPROVED BY: [Name]

