


SLAB NOTES:  
 SLAB THICKNESS = 8-3/4" (EXCEPT WHERE NOTED ON TOP STEEL SHEET)  
 CONCRETE STRENGTH = 4000 PSI SLAB  
 4500 PSI TRANSFER BEAMS  
 REINFORCING STEEL  
 GRADE = A615-60  
 PLACEMENT NOTES & DETAILS = SHEET S-14  
 (+) BARS ARE ADD BARS & ARE IN ADDITION TO GRID REINFORCING SHOWN ON PLAN.  
 REFERENCE NOTES:  
 COLUMN SCHEDULE = SHEET S-15  
 SHEARWALL SCHEDULE = SHEET S-16  
 BEAM SCHEDULE = SHEET S-17  
 NON-LOAD BEARING WALL REINF. NOTES = SHEET S-14



SUNSET BEACH  
 OF LONG BEACH, CALIF.

BUILDING - 1  
 BOTTOM STEEL PLAN

1/8"=1'-0"

ISSUED  
 12-10-82

REVISED  
 1-4-83  
 4-1-83  
 11-11-83

SHEET  
 S4  
 OF

ARVADA CORPORATION EDWARD J. SEBERT AIA ARCHITECT & PLANNER P.A. THE SWA GROUP  
 GRAHAM, KUHNS, DEBAY CONSULTING ENGINEERS OLSEN, WHITE & ASSOCIATES STRUCTURAL ENGINEERS BENNETT & BISHOP INC CONSULTING ENGINEERS & SURVEYORS