



SLAB NOTES  
 SLAB THICKNESS = 8" (EXCEPT WHERE NOTED ON TOP STEEL SHT.)  
 CONCRETE STRENGTH = 4000 P.S.I.  
 REINFORCING STEEL GRADE = A615-60  
 PLACEMENT NOTES & DETAILS = SHT. #5-14  
 (+) BARS ARE ADD BARS & ARE IN ADDITION TO GRID REINF. SHOWN ON PLAN

REFERENCE NOTES  
 COLUMN SCHEDULE = SHT. #5-15  
 SHEARWALL SCHEDULE = SHT. #5-16  
 BEAM SCHEDULE = SHT. #5-17

BOTTOM STEEL TO BE A CONT. GRID OF #4 @ 18" O.C. EA. WAY (+) ADD BARS INDICATED ARE IN ADDITION TO GRID STEEL

SUNSET BEACH  
 OF LONG BEACH KEY  
 BLDG. - #2 FOURTH & FIFTH FLOOR BOT. STEEL PLAN 1/8" = 1'-0"  
 ARVIDA CORPORATION, EDWARD J. SEBERT, ARCHITECT & PLANNER P.A., THE SWA GROUP  
 BRABHAM, KUHN, DEBAY CONSULTING ENGINEERS, OLSEN WHITE & ASSOCIATES STRUCTURAL ENGINEERS, BENNETT & BISHOP, INC. CONSULTING ENGINEERS & SURVEYORS  
 ISSUED 22-01-21  
 REVISED 1-4-23  
 SHEET S.10 OF 24  
 8/23