



SLAB NOTES
 SLAB THICKNESS = 8" (EXCEPT WHERE NOTED ON TOP STEEL SHEET).
 CONCRETE STRENGTH = 4000 PSI.
 REINFORCING STEEL GRADE = A615-60
 PLACEMENT NOTES & DETAILS = SHEET S-14. (+) BARS ARE ADD BARS AND ARE IN ADDITION TO GRID REINF. SHOWN ON PLAN.

REFERENCE NOTES
 COLUMN SCHEDULE = SHEET #S-15
 SHEARWALL SCHEDULE = SHEET #S-16
 BEAM SCHEDULE = SHEET #S-17

BOTTOM STEEL TO BE A CONT. GRID OF #4 @ 13" O.C. EA. WAY
 (+) ADD BARS INDICATED ARE IN ADDITION TO GRID STEEL

SUNSET BEACH
 BOAT KEY
 LONG BEACH, CA
 BENNETT & BISHOP INC CONSULTING ENGINEERS & SURVEYORS

BLDG - # 3
THIRD FLOOR
BOTTOM STEEL PLAN
 1/8" = 1'-0"

ARVADA CORPORATION, EDWARD J. SEIBERT, AIA ARCHITECT & PLANNER, P.A., THE SWA GROUP
 BRADHAM, KUHNIS, DEBAY CONSULTING ENGINEERS, OLSEN WHITE & ASSOCIATES STRUCTURAL ENGINEERS

ISSUED	12-10-82
REVISED	1-4-83
	2-11-83

SHEET
S 8
 OF 24