



SLAB NOTES
 SLAB THICKNESS = 7" MIN. @ DRAINS 5" MAX @ RIDGES
 CONCRETE STRENGTH = 4000 PSI.
 REINFORCING STEEL GRADE = A615-60 (SLAB TOP STL TO FOLLOW SLOPE 1" CLEAR OF TOP)
 PLACEMENT NOTES & DETAILS = SHEET S-14. () BARS ARE ADD BARS AND ARE IN ADDITION TO GRID REINF. SHOWN ON PLAN.

REFERENCE NOTES
 COLUMN SCHEDULE = SHEET #S-15
 SHEARWALL SCHEDULE = SHEET #S-16
 BEAM SCHEDULE = SHEET #S-17

INDICATES RIDGE LINES
 SLAB THICKNESS @ RIDGE = 9/2"

INDICATES ROOF DRAIN - SEE ARCH. DWGS. FOR SLOPE OF SLAB FROM RIDGES TO DRAINS.

CONC. SLAB MIN. SEE ARCH. DWGS. FOR SLOPES.

CONC. SLAB MIN. SEE ARCH. DWGS. FOR SLOPES.

STAIR TOWER #1 ROOF PLAN

ELEVATOR ROOF PLAN

STAIR TOWER #2 ROOF PLAN